

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 6, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 6, 1894, was 21·5 per thousand of estimated population. This rate is 5·6 below that for the corresponding week of last year, and 0·3 below that for the previous week.

The lowest mortality was recorded in Perth, viz., 15·4 per thousand; and the highest in Dundee, viz., 26·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 140, being 3 below the number for the previous week.

The mean Temperature was 33°·9, being 10°·4 below that for the week immediately preceding, and 4°·9 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, January 6, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Jan. 6, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	791	613	934	52·9	8·8	33·9	0·19
GLASGOW, . . .	11,861	686,820	57·906	9·82	389	298	495	50·5	15·3	33·2	0·01
EDINBURGH, . .	6,166	270,588	43·884	11·28	113	105	120	49·0	13·9	37·8	0·16
DUNDEE, . . .	4,162	158,719	38·135	12·11	89	81	119	49·2	8·8	32·3	0·33
ABERDEEN, . .	6,795	131,642	19·373	16·98	68	41	65	47·8	14·0	32·9	0·42
LEITH,	2,042	72,003	35·261	12·59	43	27	39	49·0	15·9	34·2	0·14
PAISLEY, . . .	3,538	70,363	19·888	16·76	49	33	51	52·9	18·0	33·8	0·11
GREENOCK, . .	1,440	62,400	43·333	11·36	27	19	29	48·5	17·0	34·1	0·26
PERTH,	4,336	30,427	7·017	28·22	13	9	16	48·8	10·0	33·2	0·08
Corresponding Week of 1893.—Eight Towns.	40,340	1,465,536	36·330	12·40	846	765	983	40·5	10·0	29·0	0·36

Week ending Saturday, JANUARY 6, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 6, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21·5	2·7	613	154	130	3	4	5	12	34	5	13	6	140	26	96	52	6	
GLASGOW, .	22·6	2·0	298	77	44	0	2	1	3	14	3	4	0	76	10	42	23	5	
EDINBURGH,	20·2	2·5	105	21	34	0	0	0	4	8	0	1	1	20	5	21	12	0	
DUNDEE, . .	26·5	4·3	81	25	20	0	0	1	3	5	1	3	1	14	3	12	4	0	
ABERDEEN, .	16·2	2·0	41	10	14	0	0	1	0	2	0	2	1	9	2	7	1	0	
LEITH, . . .	19·5	7·2	27	6	5	3	1	1	2	1	0	2	1	2	1	6	2	0	
PAISLEY, . .	24·4	2·2	33	8	8	0	1	0	0	0	1	1	1	11	2	4	7	0	
GREENOCK, .	15·8	0·8	19	5	4	0	0	0	0	1	0	0	1	6	3	1	3	1	
PERTH, . . .	15·4	6·8	9	2	1	0	0	1	0	3	0	0	0	2	0	3	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 7, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	27·1	5·2	765	148	163	1	79	17	10	20	7	12	11	206	29	120	83	3	
GLASGOW, .	27·7	5·1	361	71	64	1	32	8	4	16	4	2	7	104	14	55	41	3	
EDINBURGH,	30·1	6·6	155	26	36	0	23	6	0	1	1	3	0	36	8	29	32	0	
DUNDEE, . .	25·5	4·3	77	17	22	0	9	0	0	2	1	1	0	26	3	9	1	0	
ABERDEEN, .	24·5	4·0	61	16	17	0	5	0	2	0	1	2	1	11	0	12	3	0	
LEITH, . . .	28·6	8·8	39	9	5	0	7	2	1	1	0	1	2	9	2	7	2	0	
PAISLEY, . .	24·8	4·5	33	8	8	0	3	1	1	0	0	1	0	8	1	3	2	0	
GREENOCK, .	20·7	2·5	25	1	4	0	0	0	1	0	0	2	1	8	1	3	2	0	
PERTH, . . .	24·0	1·7	14	0	7	0	0	0	1	0	0	0	0	4	0	2	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 13, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 3, 1894, was 23·8 per thousand of estimated population. This rate is 4·7 below that for the corresponding week of last year, but 2·3 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 20·0 per thousand ; and the highest in Perth, viz., 37·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being exactly the same as for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 148, being 8 above the number for last week.

The mean Temperature was 37°·2, being 3°·3 above that for the week immediately preceding, and 2°·3 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, January 13, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Jan. 13, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	925	679	256	53·0	4·0	37·2	0·91
GLASGOW, . . .	11,861	686,820	57·906	9·82	445	322	113	52·9	13·8	39·6	0·57
EDINBURGH, . .	6,166	270,588	43·884	11·28	150	110	61	51·7	14·0	38·6	0·11
DUNDEE, . . .	4,162	158,719	38·135	12·11	104	75	33	48·7	6·4	34·4	0·62
ABERDEEN, . .	6,795	131,642	19·373	16·98	82	58	15	47·8	11·5	38·0	0·98
LEITH,	2,042	72,003	35·261	12·59	36	34	9	53·0	16·3	38·7	0·12
PAISLEY, . . .	3,538	70,363	19·888	16·76	49	34	16	51·2	11·1	38·5	1·04
GREENOCK, . .	1,440	62,400	43·333	11·36	44	24	4	51·0	15·0	35·7	2·72
PERTH,	4,336	30,427	7·017	28·22	15	22	5	53·0	4·0	34·3	1·14
Corresponding Week of 1893.—Eight Towns.	40,340	1,465,536	36·330	12·40	959	803	198	46·5	21·5	34·9	0·16

Week ending Saturday, JANUARY 13, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 13, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	23·8	2·7	679	149	169	0	2	5	8	48	0	13	9	148	26	95	55	3	
GLASGOW, .	24·4	3·0	322	73	65	0	2	3	4	22	0	8	4	68	17	48	32	3	
EDINBURGH,	21·1	1·9	110	18	35	0	0	0	2	8	0	0	3	18	4	21	21	0	
DUNDEE, . .	24·6	3·3	75	23	17	0	0	0	0	7	0	3	0	25	1	7	0	0	
ABERDEEN, .	22·9	1·6	58	16	17	0	0	1	1	0	0	2	1	8	2	3	2	0	
LEITH, . . .	24·5	2·9	34	7	9	0	0	0	0	4	0	0	0	8	1	5	0	0	
PAISLEY, . .	25·1	2·2	34	5	11	0	0	0	1	2	0	0	1	11	0	4	0	0	
GREENOCK, .	20·0	0·8	24	3	6	0	0	0	0	1	0	0	0	3	0	0	0	0	
PERTH, . . .	37·6	8·5	22	4	9	0	0	1	0	4	0	0	0	7	1	7	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 14, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	28·5	4·2	803	154	183	0	79	8	11	11	4	6	8	233	18	129	61	2
GLASGOW, .	29·9	4·8	390	67	77	0	37	5	6	9	2	3	7	126	12	58	25	2
EDINBURGH,	30·1	3·7	155	33	40	0	14	1	1	1	2	0	0	40	3	30	30	0
DUNDEE, . .	28·5	6·6	86	21	19	0	14	0	2	1	0	3	0	22	1	11	1	0
ABERDEEN, .	17·3	2·0	43	9	12	0	2	2	1	0	0	0	0	11	0	8	0	0
LEITH, . . .	27·8	7·3	38	7	8	0	10	0	0	0	0	0	1	10	1	5	0	0
PAISLEY, . .	34·6	2·3	46	10	11	0	2	0	1	0	0	0	0	15	0	6	4	0
GREENOCK, .	22·4	0·0	27	6	8	0	0	0	0	0	0	0	0	6	0	3	1	0
PERTH, . . .	30·9	0·0	18	1	8	0	0	0	0	0	0	0	0	3	1	8	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 20, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 20, 1894, was 21·6 per thousand of estimated population. This rate is 6·1 below that for the corresponding week of last year, and 2·2 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 12·5 per thousand ; and the highest in Paisley, viz., 34·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 145, being 3 below the number for the previous week.

The mean Temperature was 42°·3, being 5°·1 above that for the week immediately preceding, and 2°·6 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, January 20, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Jan. 20, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	893	616	147	51·7	28·5	42·3	0·98
GLASGOW, . . .	11,861	686,820	57·906	9·82	446	291	81	50·0	35·2	43·5	1·16
EDINBURGH, . .	6,166	270,588	43·884	11·28	124	103	23	51·7	34·6	43·2	0·39
DUNDEE, . . .	4,162	158,719	38·135	12·11	106	68	19	48·8	30·8	40·6	0·55
ABERDEEN, . .	6,795	131,642	19·373	16·98	91	49	12	48·8	32·0	40·3	0·25
LEITH,	2,042	72,003	35·261	12·59	33	27	5	51·5	33·0	43·9	0·36
PAISLEY, . . .	3,538	70,363	19·888	16·76	40	47	3	48·0	33·2	42·2	1·94
GREENOCK, . .	1,440	62,400	43·333	11·36	35	15	4	49·0	31·0	42·1	2·55
PERTH,	4,336	30,427	7·017	28·22	18	16	0	50·5	28·5	42·5	0·63
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	953	780	144	51·3	23·9	39·7	0·38

Week ending Saturday, JANUARY 20, 1894.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 20, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·6	2·1	616	139	140	2	1	9	13	24	5	5	5	145	21	105	34	2
GLASGOW, .	22·0	2·2	291	79	53	0	1	5	6	13	4	0	2	73	8	50	17	1
EDINBURGH,	19·8	1·2	103	11	34	0	0	3	1	1	0	1	0	17	4	25	11	1
DUNDEE, . .	22·3	2·6	68	13	15	0	0	0	2	4	1	1	1	22	2	9	2	0
ABERDEEN, .	19·4	1·6	49	14	11	0	0	0	1	0	0	3	1	12	2	5	0	0
LEITH, . . .	19·5	5·1	27	6	7	2	0	0	2	3	0	0	0	7	2	5	0	0
PAISLEY, . .	34·7	3·0	47	9	12	0	0	1	0	3	0	0	1	7	0	7	1	0
GREENOCK, .	12·5	0·8	15	4	3	0	0	0	1	0	0	0	0	3	1	2	3	0
PERTH, . . .	27·4	0·0	16	3	5	0	0	0	0	0	0	0	0	4	2	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 21, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	27·7	3·5	780	168	198	2	59	12	3	18	1	3	14	213	30	145	73	22
GLASGOW, .	29·0	4·3	378	86	81	2	28	9	2	14	0	1	10	107	17	71	35	22
EDINBURGH,	28·0	1·9	144	25	47	0	8	1	0	1	0	0	1	36	5	40	27	0
DUNDEE, . .	27·2	4·6	82	24	23	0	10	1	1	2	0	0	0	21	5	9	2	0
ABERDEEN, .	20·1	1·6	50	11	12	0	3	0	0	0	0	1	0	10	1	9	1	0
LEITH, . . .	29·3	5·9	40	9	8	0	8	0	0	0	0	0	2	14	0	0	2	0
PAISLEY, . .	28·6	3·0	38	9	11	0	2	1	0	1	0	0	0	11	1	8	5	0
GREENOCK, .	23·2	1·7	28	4	6	0	0	0	0	0	1	1	1	8	1	2	1	0
PERTH, . . .	34·3	0·0	20	0	10	0	0	0	0	0	0	0	0	6	0	6	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 27, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 27, 1894, was 21·0 per thousand of estimated population. This rate is 2·4 below that for the corresponding week of last year, and 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 18·1 per thousand; and the highest in Glasgow and Dundee, viz., 22·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being an increase of 0·7 on the rate for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 129, or 16 below the number for last week.

The mean Temperature was 39°·1, being 3°·2 below that for the week immediately preceding, and 4°·2 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, January 27, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Jan. 27, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	925	599	136	51·0	26·2	39·1	1·53
GLASGOW, . . .	11,861	686,820	57·906	9·82	476	294	56	49·2	30·0	39·9	1·95
EDINBURGH, . .	6,166	270,588	43·884	11·28	135	95	34	50·3	28·1	39·4	1·08
DUNDEE, . . .	4,162	158,719	38·135	12·11	101	68	11	46·9	27·8	37·7	0·80
ABERDEEN, . .	6,795	131,642	19·373	16·98	71	55	16	49·8	26·2	37·9	0·54
LEITH,	2,042	72,003	35·261	12·59	50	25	8	51·0	30·8	40·0	0·72
PAISLEY, . . .	3,538	70,363	19·888	16·76	43	26	5	49·3	29·2	39·6	2·05
GREENOCK, . .	1,440	62,400	43·333	11·36	31	23	3	49·2	29·0	39·3	3·75
PERTH,	4,336	30,427	7·017	28·22	18	13	3	50·0	28·0	39·2	1·32
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	898	660	150	53·2	31·6	43·3	0·56

Week ending Saturday, JANUARY 27, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 27, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21·0	2·8	599	125	129	5	2	3	6	51	3	9	4	129	16	101	33	1	
GLASGOW, .	22·3	3·1	294	61	50	0	1	2	4	28	0	6	1	72	9	51	14	1	
EDINBURGH,	18·3	2·1	95	18	23	1	0	0	2	5	1	2	1	14	2	16	13	0	
DUNDEE, . .	22·3	2·9	68	19	17	0	0	0	0	8	1	0	0	18	2	9	1	0	
ABERDEEN, .	21·7	2·0	55	13	25	0	1	1	0	2	0	1	1	10	0	9	0	0	
LEITH, . . .	18·1	5·1	25	2	2	4	0	0	0	2	1	0	0	2	1	6	1	0	
PAISLEY, . .	19·2	2·2	26	6	5	0	0	0	0	3	0	0	0	6	0	2	4	0	
GREENOCK, .	19·2	0·8	23	4	3	0	0	0	0	1	0	0	1	6	1	5	0	0	
PERTH, . . .	22·2	3·4	13	2	4	0	0	0	0	2	0	0	0	1	1	3	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 28, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from															
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	23·4	4·0	660	122	145	0	68	9	10	16	2	8	4	164	19	89	41	2			
GLASGOW, .	26·1	4·3	340	68	63	0	33	5	5	11	1	1	0	94	9	38	20	2			
EDINBURGH,	19·0	5·1	98	16	24	0	15	3	2	2	0	4	2	15	2	13	11	0			
DUNDEE, . .	24·2	6·3	73	20	14	0	15	0	1	2	0	1	0	23	2	5	5	0			
ABERDEEN, .	20·1	0·4	50	4	16	0	0	0	1	0	0	0	0	14	2	14	1	0			
LEITH, . . .	20·5	5·1	28	7	6	0	4	1	1	1	0	0	0	3	0	4	0	0			
PAISLEY, . .	23·3	0·8	31	4	5	0	1	0	0	0	0	0	2	6	1	9	2	0			
GREENOCK, .	24·0	1·7	29	2	8	0	0	0	0	0	1	1	0	8	2	3	2	0			
PERTH, . . .	18·9	1·7	11	1	9	0	0	0	0	0	0	1	0	1	1	3	0	0			

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 3, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 3, 1894, was 21·0 per thousand of estimated population. This rate is 0·9 below that for the corresponding week of last year, and the same as for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 14·2 per thousand; and the highest in Perth, viz., 41·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, exactly the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 122, being 7 below the number for the previous week.

The mean Temperature was 38°·5, being 0°·6 below that for the week immediately preceding, and 4°·5 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, February 3, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Feb. 3, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	821	600	169	53·3	22·6	38·5	1·71
GLASGOW, . . .	11,861	686,820	57·906	9·82	414	293	88	44·8	29·3	40·2	2·20
EDINBURGH, . .	6,166	270,588	43·884	11·28	126	91	31	52·6	29·3	39·4	1·14
DUNDEE, . . .	4,162	158,719	38·135	12·11	79	63	15	48·8	22·6	35·5	1·32
ABERDEEN, . .	6,795	131,642	19·373	16·98	77	53	16	50·8	27·8	36·8	0·62
LEITH,	2,042	72,003	35·261	12·59	42	27	5	53·3	31·0	40·0	0·86
PAISLEY, . . .	3,538	70,363	19·888	16·76	37	32	4	50·2	30·2	39·6	2·41
GREENOCK, . .	1,440	62,400	43·333	11·36	38	17	4	51·5	29·0	38·6	3·64
PERTH,	4,336	30,427	7·017	28·22	8	24	6	52·0	27·8	38·2	1·53
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	835	616	179	54·3	32·3	43·0	0·45

Week ending Saturday, FEBRUARY 3, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 3, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·0	2·8	600	142	131	0	1	11	8	43	5	13	6	122	21	100	50	3
GLASGOW, . .	22·2	3·4	293	74	50	0	0	8	5	23	4	5	2	61	12	52	25	2
EDINBURGH,	17·5	1·5	91	15	17	0	0	1	2	3	1	1	0	20	4	23	12	0
DUNDEE, . .	20·6	1·6	63	8	21	0	0	0	0	4	0	1	1	10	3	9	1	0
ABERDEEN, .	20·9	2·8	53	21	14	0	0	0	0	4	0	3	1	15	0	2	2	0
LEITH, . . .	19·5	0·7	27	6	10	0	0	0	0	1	0	0	0	4	0	2	1	0
PAISLEY, . .	23·7	4·4	32	5	9	0	0	1	1	2	0	2	1	7	1	4	6	0
GREENOCK, .	14·2	0·8	17	7	2	0	1	0	0	0	0	0	1	3	1	4	3	0
PERTH, . . .	41·0	13·7	24	6	8	0	0	1	0	6	0	1	0	2	0	4	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 4, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·9	3·3	616	116	129	2	41	10	11	14	5	10	4	155	17	123	64	6
GLASGOW, . .	23·5	4·1	306	55	58	2	19	7	6	13	1	6	3	68	8	67	32	3
EDINBURGH,	20·4	2·7	105	18	17	0	3	2	3	1	3	2	1	28	2	26	19	0
DUNDEE, . .	30·2	6·6	91	18	18	0	17	0	1	0	0	2	0	30	2	12	6	1
ABERDEEN, .	17·3	0·4	43	10	10	0	0	0	0	0	1	0	0	8	1	8	2	0
LEITH, . . .	21·2	2·9	29	7	9	0	2	1	1	0	0	0	0	9	0	1	2	1
PAISLEY, . .	14·3	0·0	19	2	11	0	0	0	0	0	0	0	0	6	1	5	3	0
GREENOCK, .	13·3	0·0	16	2	5	0	0	0	0	0	0	0	0	3	1	2	0	1
PERTH, . . .	12·0	0·0	7	4	1	0	0	0	0	0	0	0	0	3	2	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 10, 1894.

The Death-rate in Eight Principal Towns, during the week ending with Saturday, February 10, 1894, was 19·7 per thousand of estimated population. This rate is 4·5 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 9·6 per thousand; and the highest in Perth, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 112, being 10 below the number for the previous week.

The mean Temperature was 43°·2, being 4°·7 above that for the week immediately preceding, and 1°·2 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, February 10, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Feb. 10, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	859	561	164	55·0	32·5	43·2	2·12
GLASGOW, . . .	11,861	686,820	57·906	9·82	463	269	82	53·0	35·1	43·9	2·95
EDINBURGH, . .	6,166	270,588	43·884	11·28	118	85	33	54·5	34·6	43·6	1·87
DUNDEE, . . .	4,162	158,719	38·135	12·11	84	59	18	52·8	33·7	41·8	0·70
ABERDEEN, . .	6,795	131,642	19·373	16·98	72	57	11	53·4	32·5	42·5	0·16
LEITH,	2,042	72,003	35·261	12·59	34	35	8	55·0	34·9	44·1	1·39
PAISLEY, . . .	3,538	70,363	19·888	16·76	42	13	5	54·0	32·5	43·2	3·48
GREENOCK, . .	1,440	62,400	43·333	11·36	36	27	5	51·2	34·0	42·7	5·25
PERTH,	4,336	30,427	7·017	28·22	10	16	2	53·0	34·0	43·7	1·17
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	866	682	133	50·9	32·2	42·0	0·99

Week ending Saturday, FEBRUARY 10, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 10, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from														
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	19·7	2·6	561	125	126	4	0	11	17	28	7	7	9	112	11	98	38	3		
GLASGOW, .	20·4	3·0	269	50	52	0	0	6	14	12	4	4	5	51	4	51	18	1		
EDINBURGH,	16·3	1·9	85	21	17	0	0	5	0	4	1	0	1	16	1	14	11	0		
DUNDEE, . .	19·3	2·0	59	18	16	0	0	0	0	4	0	2	2	17	0	6	2	1		
ABERDEEN, .	22·5	2·8	57	19	16	0	0	0	1	6	0	0	0	13	3	10	1	0		
LEITH, . . .	25·3	4·3	35	6	7	4	0	0	1	1	0	0	0	8	2	6	2	0		
PAISLEY, . .	9·6	1·5	13	3	5	0	0	0	0	0	2	0	0	2	0	3	2	0		
GREENOCK, .	22·5	0·8	27	3	11	0	0	0	0	1	0	0	1	3	0	2	2	0		
PERTH, . . .	27·4	3·4	16	5	2	0	0	0	1	0	0	1	0	2	1	6	0	1		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 11, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from															
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	24·2	3·9	682	161	127	5	51	13	9	13	6	12	10	172	12	110	52	1			
GLASGOW, .	26·6	4·5	347	72	59	4	19	10	7	12	1	6	7	83	7	59	23	1			
EDINBURGH,	21·2	2·9	109	22	26	0	10	2	1	0	1	1	0	26	1	25	21	0			
DUNDEE, . .	29·8	6·0	90	29	11	0	16	0	0	0	0	2	0	31	2	5	2	0			
ABERDEEN, .	20·1	0·8	50	13	17	0	0	0	0	0	1	1	1	10	1	9	2	0			
LEITH, . . .	16·8	6·6	23	6	1	0	3	1	1	0	3	1	0	4	1	4	0	0			
PAISLEY, . .	21·8	1·5	29	11	7	0	1	0	0	1	0	0	2	9	0	3	2	0			
GREENOCK, .	16·6	0·8	20	5	2	0	0	0	0	0	0	1	0	4	0	3	2	0			
PERTH, . . .	24·0	5·1	14	3	4	1	2	0	0	0	0	0	0	5	0	2	0	0			

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 17, 1894.

The Death-rate in Eight Principal Towns, during the week ending with Saturday, February 17, 1894, was 19·2 per thousand of estimated population. This rate is 2·9 below that for the corresponding week of last year, and 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 10·3 per thousand; and the highest in Leith, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 115, being 3 more than for the previous week.

The mean Temperature was 36°·1, being 7°·1 below that for the week immediately preceding, and 2°·9 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, February 17, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Feb. 17, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	832	548	140	51·0	20·4	36·1	2·63
GLASGOW, . . .	11,861	686,820	57·906	9·82	394	257	66	50·0	24·3	37·8	2·86
EDINBURGH, . .	6,166	270,588	43·884	11·28	139	91	28	50·0	26·0	37·1	2·97
DUNDEE, . . .	4,162	158,719	38·135	12·11	87	54	15	43·7	25·1	34·8	2·19
ABERDEEN, . .	6,795	131,642	19·373	16·98	72	56	12	40·1	20·4	34·0	1·18
LEITH,	2,042	72,003	35·261	12·59	45	38	8	50·8	29·1	37·7	2·78
PAISLEY, . . .	3,538	70,363	19·888	16·76	51	14	5	48·9	26·1	37·3	3·38
GREENOCK, . .	1,440	62,400	43·333	11·36	36	24	4	51·0	26·6	35·6	2·84
PERTH,	4,336	30,427	7·017	28·22	8	14	2	45·5	23·5	34·7	2·84
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	817	624	177	54·9	23·8	39·0	1·35

Week ending Saturday, FEBRUARY 17, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 17, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·2	2·3	548	120	127	2	1	8	9	35	5	7	7	115	9	89	51	4
GLASGOW, .	19·5	2·3	257	52	69	0	0	6	5	14	1	5	3	44	3	48	25	2
EDINBURGH,	17·5	1·9	91	17	22	1	0	0	1	5	2	1	2	19	2	17	15	0
DUNDEE, . .	17·7	1·3	54	14	12	0	0	0	1	3	0	0	1	12	1	8	4	0
ABERDEEN, .	22·1	3·6	56	14	9	0	1	1	2	3	1	1	0	17	0	6	1	1
LEITH, . . .	27·4	5·8	38	8	8	1	0	0	0	6	1	0	0	6	1	4	1	0
PAISLEY, . .	10·3	1·5	14	3	1	0	0	0	0	2	0	0	1	3	2	2	0	0
GREENOCK, .	20·0	0·0	24	8	3	0	0	0	0	0	0	0	0	12	0	2	3	0
PERTH, . . .	23·9	5·1	14	4	3	0	0	1	0	2	0	0	0	2	0	2	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 18, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·1	3·9	624	140	130	1	57	8	8	22	5	8	7	158	14	94	56	3
GLASGOW, .	22·0	4·0	287	65	47	1	18	6	5	18	1	3	4	73	6	34	30	3
EDINBURGH,	18·1	1·4	93	14	30	0	3	0	0	0	3	1	1	22	2	26	13	0
DUNDEE, . .	37·1	11·6	112	31	17	0	31	0	0	2	1	1	0	29	3	16	3	0
ABERDEEN, .	15·7	1·6	39	7	16	0	1	0	2	0	0	1	1	11	0	2	1	0
LEITH, . . .	29·3	2·9	40	9	11	0	1	2	0	0	0	1	0	9	2	9	4	0
PAISLEY, . .	17·3	3·0	23	8	2	0	2	0	1	1	0	0	1	7	0	5	3	0
GREENOCK, .	14·1	2·5	17	4	4	0	1	0	0	1	0	1	0	3	0	1	1	0
PERTH, . . .	22·3	0·0	13	2	3	0	0	0	0	0	0	0	0	4	1	1	1	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 24, 1894.

The Death-rate in Eight Principal Towns, during the week ending with Saturday, February 24, 1894, was 20·6 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, and 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 9·6 per thousand; and the highest in Perth, viz., 30·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being an increase of 0·3 on the rate for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 123, being 8 more than for the previous week.

The mean Temperature was 38°·5, being 2°·4 above that for the week immediately preceding, and 0°·4 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, February 24, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Feb. 24, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	871	588	146	49·0	28·9	38·5	0·87
GLASGOW, . . .	11,861	686,820	57·906	9·82	441	271	84	49·0	31·1	39·6	1·03
EDINBURGH, . .	6,166	270,588	43·884	11·28	130	107	22	47·9	28·9	38·3	0·81
DUNDEE, . . .	4,162	158,719	38·135	12·11	88	74	10	44·9	29·2	37·4	0·34
ABERDEEN, . .	6,795	131,642	19·373	16·98	90	51	13	48·2	32·1	37·8	0·77
LEITH,	2,042	72,003	35·261	12·59	34	31	4	48·3	30·1	38·6	0·50
PAISLEY, . . .	3,538	70,363	19·888	16·76	41	13	1	47·8	32·2	39·7	1·35
GREENOCK, . .	1,440	62,400	43·333	11·36	31	23	8	47·0	32·0	39·2	1·70
PERTH,	4,336	30,427	7·017	28·22	16	18	4	48·0	29·2	37·5	0·45
Corresponding Week of 1893.—Eight Towns.	40,340	1,465,536	36·330	12·40	856	576	146	54·3	25·2	38·1	0·32

Week ending Saturday, FEBRUARY 24, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 24, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·6	2·6	588	153	145	1	1	4	12	45	4	7	4	123	20	106	51	1
GLASGOW, .	20·5	3·3	271	73	57	*1	0	3	9	25	2	3	0	46	12	49	31	1
EDINBURGH,	20·6	1·9	107	26	29	0	0	0	0	6	1	3	0	20	2	22	15	0
DUNDEE, . .	24·2	2·0	74	14	16	0	1	0	2	2	0	1	1	20	1	14	3	0
ABERDEEN, .	20·1	2·4	51	18	13	0	0	0	0	5	1	0	1	17	2	10	0	0
LEITH, . . .	22·4	3·6	31	6	10	0	0	0	1	4	0	0	0	5	1	3	0	0
PAISLEY, . .	9·6	0·7	13	4	5	0	0	0	0	1	0	0	0	3	1	2	0	0
GREENOCK, .	19·2	0·0	23	8	6	0	0	0	0	0	0	0	2	6	1	1	2	0
PERTH, . . .	30·8	5·1	18	4	9	0	0	1	0	2	0	0	0	6	0	5	0	0

* Chicken Pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 25, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·4	3·2	576	123	112	3	42	10	10	17	3	4	8	127	16	90	57	6
GLASGOW, .	20·1	3·3	262	57	44	2	14	4	5	14	1	3	2	46	13	44	29	5
EDINBURGH,	18·3	3·1	94	16	18	0	9	3	1	1	2	0	0	21	2	22	18	0
DUNDEE, . .	30·8	6·6	93	26	17	1	17	0	0	1	0	1	2	32	0	8	3	0
ABERDEEN, .	22·5	0·4	56	6	21	0	0	0	1	0	0	0	2	13	1	10	2	0
LEITH, . . .	16·1	4·4	22	7	3	0	1	2	3	0	0	0	0	4	0	3	2	1
PAISLEY, . .	16·6	0·8	22	3	5	0	0	1	0	0	0	0	1	6	0	2	2	0
GREENOCK, .	12·4	0·0	15	5	1	0	0	0	0	0	0	0	1	3	0	1	1	0
PERTH, . . .	20·6	3·4	12	3	3	0	1	0	0	1	0	0	0	2	0	0	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, MARCH 3, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, March 3, 1894, was 19·6 per thousand of estimated population. This rate is 3·6 below that for the corresponding week of last year, and 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 17·3 per thousand; and the highest in Dundee, viz., 25·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 115, being 8 less than for the previous week.

The mean Temperature was 41°·5, being 3°·0 above that for the week immediately preceding, and 4°·8 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, March 3, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Mar. 3, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	879	558	172	52·8	32·0	41·5	1·75
GLASGOW, . . .	11,861	686,820	57·906	9·82	421	252	78	52·3	34·0	42·8	2·06
EDINBURGH, . .	6,166	270,588	43·884	11·28	136	90	35	52·1	33·3	42·5	1·39
DUNDEE, . . .	4,162	158,719	38·135	12·11	90	77	16	48·0	32·2	40·3	0·99
ABERDEEN, . .	6,795	131,642	19·373	16·98	81	49	16	49·0	33·7	40·1	0·49
LEITH,	2,042	72,003	35·261	12·59	46	29	10	52·8	34·9	42·7	1·16
PAISLEY, . . .	3,538	70,363	19·888	16·76	48	24	8	50·8	32·3	41·6	2·21
GREENOCK, .	1,440	62,400	43·333	11·36	37	26	6	51·2	32·0	41·0	3·41
PERTH,	4,336	30,427	7·017	28·22	20	11	3	50·5	32·0	41·3	2·25
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	902	654	180	51·2	23·0	36·7	1·26

Week ending Saturday, MARCH 3, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, March 3, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·6	2·5	558	108	124	2	0	11	11	34	5	7	3	115	19	101	48	2
GLASGOW, .	19·1	3·0	252	46	45	0	0	11	6	15	4	4	2	43	4	47	22	1
EDINBURGH,	17·3	1·5	90	16	22	0	0	0	3	5	0	0	0	16	7	19	14	0
DUNDEE, . .	25·2	3·6	77	14	21	0	0	0	1	7	1	2	0	18	2	12	7	1
ABERDEEN, .	19·4	0·8	49	11	20	0	0	0	0	1	0	1	0	15	3	11	2	0
LEITH, . . .	20·9	3·6	29	8	6	2	0	0	0	3	0	0	0	10	0	5	1	0
PAISLEY, . .	17·7	0·7	24	8	4	0	0	0	1	0	0	0	0	5	0	3	1	0
GREENOCK, .	21·7	0·8	26	4	4	0	0	0	0	1	0	0	1	7	3	4	0	0
PERTH, . . .	18·8	3·4	11	1	2	0	0	0	0	2	0	0	0	1	0	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, March 4, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	23·2	3·2	654	157	136	1	53	3	9	15	2	8	6	165	16	99	62	4	
GLASGOW, .	26·7	3·5	348	75	67	1	15	2	7	13	1	7	2	85	8	54	37	3	
EDINBURGH,	14·2	1·0	73	18	18	0	3	1	1	0	0	0	1	15	1	15	16	0	
DUNDEE, . .	33·8	8·6	102	36	13	0	24	0	0	0	1	1	0	35	4	7	2	1	
ABERDEEN, .	15·7	0·4	39	10	16	0	1	0	0	0	0	0	0	11	0	10	2	0	
LEITH, . . .	16·8	2·9	23	5	3	0	4	0	0	0	0	0	1	6	0	3	1	0	
PAISLEY, . .	23·3	6·8	31	8	7	0	6	0	1	2	0	0	0	7	1	4	3	0	
GREENOCK, .	17·4	0·0	21	3	9	0	0	0	0	0	0	0	0	4	1	3	1	0	
PERTH, . . .	29·2	0·0	17	2	3	0	0	0	0	0	0	0	2	2	1	3	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 10.
WEEK ENDING SATURDAY, MARCH 10, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, March 10, 1894, was 21·1 per thousand of estimated population. This rate is 1·2 below that for the corresponding week of last year, but 1·5 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·9 per thousand; and the highest in Perth, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 108, being 7 less than for the previous week.

The mean Temperature was 41°·3, being 0°·2 below that for the week immediately preceding, and 5°·4 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, March 10, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Mar. 10, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	846	601	157	51·8	30·0	41·3	1·49
GLASGOW, . . .	11,861	686,820	57·906	9·82	427	296	74	51·6	31·8	42·2	1·50
EDINBURGH, . .	6,166	270,588	43·884	11·28	134	95	35	51·1	32·1	42·0	0·95
DUNDEE, . . .	4,162	158,719	38·135	12·11	104	62	9	48·4	31·3	40·6	0·50
ABERDEEN, . .	6,795	131,642	19·373	16·98	48	52	11	46·6	32·2	39·8	0·47
LEITH,	2,042	72,003	35·261	12·59	40	22	7	51·8	34·0	42·7	0·61
PAISLEY, . . .	3,538	70,363	19·888	16·76	38	29	11	50·3	32·0	41·9	2·57
GREENOCK, .	1,440	62,400	43·333	11·36	38	29	5	48·0	32·2	40·4	4·24
PERTH,	4,336	30,427	7·017	28·22	17	16	5	50·5	30·0	40·7	1·06
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	915	627	155	61·0	32·0	46·7	0·14

Week ending Saturday, MARCH 10, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 10, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21.1	2.7	601	143	114	0	4	8	9	41	7	9	5	108	13	108	30	1
GLASGOW, .	22.4	3.3	296	66	38	0	4	5	6	21	5	2	3	50	7	65	16	1
EDINBURGH,	18.3	1.3	95	22	26	0	0	1	1	4	0	1	1	23	1	17	5	0
DUNDEE, . .	20.3	3.9	62	19	15	0	0	1	0	6	1	4	0	9	1	6	5	0
ABERDEEN, .	20.5	2.4	52	14	13	0	0	0	1	4	0	1	0	10	0	9	0	0
LEITH, . . .	15.9	2.9	22	2	7	0	0	0	1	2	0	1	0	1	0	1	2	0
PAISLEY, . .	21.4	3.7	29	5	7	0	0	1	0	3	1	0	1	3	0	4	0	0
GREENOCK, .	24.2	0.0	29	7	5	0	0	0	0	0	0	0	0	9	4	4	1	0
PERTH, . . .	27.4	1.7	16	8	3	0	0	0	0	1	0	0	0	3	0	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 11, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22.3	3.4	627	128	127	1	49	6	7	17	5	10	4	138	11	112	39	6
GLASGOW, .	25.5	3.5	332	67	64	1	19	2	5	13	2	4	0	75	5	61	24	5
EDINBURGH,	13.8	1.4	71	10	15	0	3	2	0	2	0	0	1	12	0	17	9	0
DUNDEE, . .	28.5	7.0	87	26	14	0	19	0	0	0	0	2	0	25	3	12	1	0
ABERDEEN, .	21.7	2.8	54	9	13	0	2	0	1	1	1	2	2	11	0	11	0	0
LEITH, . . .	19.0	4.4	26	4	7	0	1	2	1	0	2	0	1	5	0	5	0	1
PAISLEY, . .	24.1	3.8	32	6	8	0	3	0	0	1	0	1	0	4	2	5	1	0
GREENOCK, .	11.6	0.8	14	2	3	0	0	0	0	0	0	1	0	4	1	0	4	0
PERTH, . . .	18.9	3.4	11	4	3	0	2	0	0	0	0	0	0	2	0	1	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 17, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, March 17, 1894, was 21·0 per thousand of estimated population. This rate is 0·2 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 13·3 per thousand; and the highest in Glasgow, viz., 22·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 104, being 4 less than for the previous week.

The mean Temperature was 39°·9, being 1°·4 below that for the week immediately preceding, and 0°·4 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, March 17, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Mar. 17, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	930	600	116	51·5	26·5	39·9	0·48
GLASGOW, . . .	11,861	686,820	57·906	9·82	478	303	50	51·5	28·8	40·2	0·66
EDINBURGH, . .	6,166	270,588	43·884	11·28	154	103	24	51·2	30·1	40·3	0·23
DUNDEE, . . .	4,162	158,719	38·135	12·11	76	68	12	48·9	27·9	39·1	0·32
ABERDEEN, . .	6,795	131,642	19·373	16·98	78	49	12	48·2	29·3	39·6	0·22
LEITH,	2,042	72,003	35·261	12·59	48	23	10	51·0	30·9	40·9	0·32
PAISLEY, . . .	3,538	70,363	19·888	16·76	48	18	4	50·7	31·0	40·9	0·49
GREENOCK, .	1,440	62,400	43·333	11·36	38	27	1	48·0	31·2	38·8	1·18
PERTH,	4,336	30,427	7·017	28·22	10	9	3	50·0	26·5	39·7	0·45
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	893	597	144	52·0	25·6	40·3	0·50

Week ending Saturday, MARCH 17, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 17, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21.0	2.3	600	109	143	3	3	8	8	30	8	5	2	104	20	117	39	1
GLASGOW, .	22.9	3.1	303	58	55	1	2	4	6	18	7	3	0	49	9	61	19	1
EDINBURGH,	19.8	1.7	103	20	35	2	0	1	2	3	0	1	0	21	5	24	12	0
DUNDEE, . .	22.3	2.0	68	14	13	0	0	1	0	4	0	1	1	13	1	11	1	0
ABERDEEN, .	19.4	1.6	49	6	15	0	1	2	0	1	0	0	1	6	2	12	1	0
LEITH, . . .	16.6	1.4	23	5	6	0	0	0	0	2	0	0	0	3	1	1	2	0
PAISLEY, . .	13.3	0.7	18	1	7	0	0	0	0	0	1	0	0	3	0	7	2	0
GREENOCK, .	22.5	1.7	27	4	8	0	0	0	0	2	0	0	0	8	2	1	2	0
PERTH, . . .	15.4	0.0	9	1	4	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 18, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21.2	2.5	597	126	126	2	45	6	6	6	1	5	4	132	22	111	48	2
GLASGOW, .	23.5	2.9	306	59	50	2	24	0	5	5	1	1	4	74	16	50	29	1
EDINBURGH,	16.7	1.6	86	23	20	0	1	3	1	1	0	2	0	16	2	23	14	0
DUNDEE, . .	27.5	4.3	83	22	14	0	11	0	0	0	0	2	0	20	1	12	2	0
ABERDEEN, .	18.1	0.0	45	6	16	0	0	0	0	0	0	0	0	10	2	9	2	1
LEITH, . . .	14.7	3.7	20	6	4	0	2	3	0	0	0	0	0	4	0	3	0	0
PAISLEY, . .	19.6	3.8	26	5	9	0	5	0	0	0	0	0	0	2	0	7	0	0
GREENOCK, .	16.6	0.0	20	3	7	0	0	0	0	0	0	0	0	5	1	4	1	0
PERTH, . . .	18.9	3.4	11	2	6	0	2	0	0	0	0	0	0	1	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 24, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, March 24, 1894, was 18·7 per thousand of estimated population. This rate is 4·7 below that for the corresponding week of last year, and 2·3 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 13·3 per thousand ; and the highest in Paisley, viz., 22·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 105, being 1 more than for the previous week.

The mean Temperature was 47°·2, being 7°·3 above that for the week immediately preceding, and 2°·2 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, March 24, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Mar. 24, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	834	533	142	64·9	30·5	47·2	0·01
GLASGOW, . . .	11,861	686,820	57·906	9·82	367	265	69	64·9	32·1	47·9	0·06
EDINBURGH, . .	6,166	270,588	43·884	11·28	146	90	22	61·2	36·4	48·3	0·00
DUNDEE, . . .	4,162	158,719	38·135	12·11	89	52	15	63·7	32·5	46·1	0·00
ABERDEEN, . .	6,795	131,642	19·373	16·98	86	45	18	62·4	33·6	47·9	0·00
LEITH,	2,042	72,003	35·261	12·59	38	23	6	57·8	34·8	47·4	0·00
PAISLEY, . . .	3,538	70,363	19·888	16·76	48	30	4	62·9	31·1	47·6	0·02
GREENOCK, .	1,440	62,400	43·333	11·36	41	16	3	58·7	36·0	46·0	0·03
PERTH,	4,336	30,427	7·017	28·22	25	12	5	63·0	30·5	46·3	0·00
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	929	659	120	67·0	24·0	45·0	0·00

Week ending Saturday, MARCH 24, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, March 24, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18·7	2·0	533	120	104	0	4	6	8	32	3	5	6	105	18	83	43	1	
GLASGOW, .	20·1	2·0	265	59	40	0	2	3	2	15	3	1	3	51	12	45	19	1	
EDINBURGH,	17·3	1·5	90	8	17	0	0	2	2	4	0	0	1	17	1	18	15	0	
DUNDEE, . .	17·0	3·3	52	13	11	0	2	1	1	5	0	1	1	10	4	6	1	0	
ABERDEEN, .	17·8	3·2	45	18	15	0	0	0	1	5	0	2	0	11	0	5	1	0	
LEITH, . . .	16·6	2·2	23	9	5	0	0	0	2	1	0	0	0	4	0	4	0	0	
PAISLEY, . .	22·2	1·5	30	7	8	0	0	0	0	1	0	1	1	7	0	2	5	0	
GREENOCK, .	13·3	0·0	16	4	3	0	0	0	0	0	0	0	0	5	0	0	1	0	
PERTH, . . .	20·5	1·7	12	2	5	0	0	0	0	1	0	0	0	0	1	3	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, March 25, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	23·4	3·7	659	140	150	2	51	10	8	16	4	13	7	144	22	112	51	0	
GLASGOW, .	27·3	4·9	356	64	69	2	32	6	2	14	2	6	4	85	11	65	23	0	
EDINBURGH,	20·6	3·1	106	19	34	0	7	3	3	1	0	2	0	20	1	13	17	0	
DUNDEE, . .	25·5	3·6	77	23	17	0	8	0	0	1	0	2	0	14	4	11	6	0	
ABERDEEN, .	10·8	1·2	27	9	9	0	0	0	1	0	1	1	0	4	2	5	2	0	
LEITH, . . .	17·6	1·5	24	6	8	0	0	1	1	0	0	0	0	6	1	3	1	0	
PAISLEY, . .	20·3	3·8	27	6	5	0	4	0	1	0	0	0	1	5	1	11	0	0	
GREENOCK, .	25·7	1·7	31	10	4	0	0	0	0	0	1	1	1	4	1	2	2	0	
PERTH, . . .	18·9	1·7	11	3	4	0	0	0	0	0	0	1	1	6	1	2	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, MARCH 31, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, March 31, 1894, was 20·5 per thousand of estimated population. This rate is 2·2 below that for the corresponding week of last year, but 1·8 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 13·3 per thousand; and the highest in Perth, viz., 29·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 1·0 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 109, being 4 more than for the previous week.

The mean Temperature was 45°·7, being 1°·5 below that for the week immediately preceding, but 0°·1 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, March 31, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Mar. 31, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	969	584	229	65·0	29·5	45·7	0·01
GLASGOW, . . .	11,861	686,820	57·906	9·82	505	295	132	65·0	31·1	43·1	0·00
EDINBURGH, . .	6,166	270,588	43·884	11·28	147	82	32	64·3	31·5	46·5	0·05
DUNDEE, . . .	4,162	158,719	38·135	12·11	75	68	10	62·0	30·8	42·6	0·03
ABERDEEN, . .	6,795	131,642	19·373	16·98	91	51	23	60·5	32·6	42·8	0·00
LEITH,	2,042	72,003	35·261	12·59	59	28	7	65·0	32·8	44·7	0·03
PAISLEY, . . .	3,538	70,363	19·888	16·76	43	18	12	63·1	32·7	47·8	0·00
GREENOCK, .	1,440	62,400	43·333	11·36	41	25	8	62·0	35·5	48·5	0·00
PERTH,	4,336	30,427	7·017	28·22	8	17	5	62·5	29·5	44·8	0·00
Corresponding Week of 1893.— Eight Towns.	40,340	1,465,536	36·330	12·40	857	639	145	64·4	29·8	45·6	0·14

Week ending Saturday, MARCH 31, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during
Week ending Saturday, March 31, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20.5	3.0	584	111	113	1	4	9	5	39	9	18	4	109	39	115	31
GLASGOW, .	22.3	2.6	295	50	46	0	0	3	0	17	9	5	0	65	19	58	10
EDINBURGH,	15.8	2.5	82	15	20	0	0	1	1	8	0	3	0	16	5	20	8
DUNDEE, . .	22.3	4.3	68	20	19	0	3	0	1	3	0	6	1	10	3	12	1
ABERDEEN, .	20.1	3.9	51	13	9	0	1	1	1	5	0	2	1	6	2	10	2
LEITH, . . .	20.2	2.2	28	5	6	1	0	0	0	1	0	1	2	2	5	7	4
PAISLEY, . .	13.3	4.4	18	6	2	0	0	2	0	4	0	0	0	0	2	4	4
GREENOCK, .	20.8	2.5	25	1	7	0	0	0	1	1	0	1	0	7	1	4	2
PERTH, . . .	29.1	5.1	17	1	4	0	0	2	1	0	0	0	0	3	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, April 1, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	22.7	3.5	639	134	144	1	60	5	4	17	5	8	9	129	16	103	48
GLASGOW, .	26.8	5.0	349	74	71	1	40	3	0	15	2	4	5	69	12	59	25
EDINBURGH,	16.5	1.2	85	11	25	0	2	1	1	2	0	0	2	13	0	16	12
DUNDEE, . .	20.2	3.6	61	13	11	0	10	0	1	0	0	0	1	19	0	6	3
ABERDEEN, .	20.1	1.2	50	17	15	0	0	0	1	0	1	1	0	11	1	6	3
LEITH, . . .	20.5	2.2	28	9	6	0	1	1	0	0	0	1	0	7	1	3	4
PAISLEY, . .	25.6	5.3	34	6	8	0	6	0	1	0	0	0	0	2	0	7	0
GREENOCK, .	15.8	2.5	19	1	5	0	0	0	0	0	1	2	0	4	2	5	0
PERTH, . . .	22.3	3.4	13	3	3	0	1	0	0	0	1	0	1	4	0	1	1

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 7, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, April 7, 1894, was 21·2 per thousand of estimated population. This rate is 1·9 below that for the corresponding week of last year, but 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·4 per thousand; and the highest in Glasgow, viz., 23·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·9 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 121, being an increase of 12 on the number for last week.

The mean Temperature was 45°·0, being 0°·7 below that for the week immediately preceding, and 2°·7 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, April 7, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Apr. 7, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	927	606	210	60·8	32·0	45·0	0·19
GLASGOW, . . .	11,861	686,820	57·906	9·82	492	304	120	60·8	34·7	46·5	0·39
EDINBURGH, . .	6,166	270,588	43·884	11·28	150	97	35	59·1	36·0	44·7	0·22
DUNDEE, . . .	4,162	158,719	38·135	12·11	79	56	14	60·0	34·8	44·2	0·09
ABERDEEN, . .	6,795	131,642	19·373	16·98	82	57	9	54·9	32·4	43·4	0·04
LEITH,	2,042	72,003	35·261	12·59	37	31	9	57·8	37·6	45·0	0·21
PAISLEY, . . .	3,538	70,363	19·888	16·76	37	25	5	58·8	36·8	46·8	0·32
GREENOCK, .	1,440	62,400	43·333	11·36	36	27	10
PERTH,	4,336	30,427	7·017	28·22	14	9	8	59·5	32·0	44·7	0·05
Corresponding Week of 1893.—Eight Towns.	40,340	1,465,536	36·330	12·40	953	651	279	68·2	31·0	47·7	0·20

Week ending Saturday, APRIL 7, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 7, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.2	2.1	606	117	131	1	4	4	5	33	6	6	4	121	24	111	49	2
GLASGOW, .	23.0	2.4	304	53	60	1	2	2	4	16	4	3	2	64	12	58	25	1
EDINBURGH,	18.6	1.9	97	20	22	0	0	1	0	7	1	1	1	21	3	26	12	0
DUNDEE, . .	18.3	1.6	56	18	10	0	1	0	1	2	0	1	0	13	2	7	4	1
ABERDEEN, .	22.5	2.8	57	8	15	0	1	1	0	5	0	0	0	10	1	9	2	0
LEITH, . . .	22.4	1.4	31	8	7	0	0	0	0	2	0	0	1	4	0	2	3	0
PAISLEY, . .	18.5	0.0	25	5	7	0	0	0	0	0	0	0	0	5	0	3	1	0
GREENOCK, .	22.5	1.7	27	4	7	0	0	0	0	1	0	1	0	3	4	3	1	0
PERTH, . . .	15.4	1.7	9	1	3	0	0	0	0	0	1	0	0	1	2	3	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 8, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23.1	3.0	651	133	125	1	41	7	5	17	3	10	5	134	17	131	50	1
GLASGOW, .	25.6	4.4	334	66	56	1	27	7	4	13	1	4	1	70	9	61	27	1
EDINBURGH,	18.5	1.2	95	21	19	0	3	0	0	1	0	2	1	17	4	28	12	0
DUNDEE, . .	20.2	1.3	61	13	14	0	2	0	1	0	0	1	1	17	2	10	2	0
ABERDEEN, .	16.5	1.6	41	8	10	0	0	0	0	0	2	2	0	5	1	5	1	0
LEITH, . . .	24.9	1.5	34	10	7	0	0	0	0	1	0	1	2	10	1	6	2	0
PAISLEY, . .	29.3	6.0	39	6	7	0	7	0	0	1	0	0	0	7	0	13	4	0
GREENOCK, .	25.7	0.8	31	6	6	0	0	0	0	1	0	0	0	5	0	2	2	0
PERTH, . . .	27.4	3.4	16	3	6	0	2	0	0	0	0	0	0	3	0	6	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 15.

WEEK ENDING SATURDAY, APRIL 14, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, April 14, 1894, was 19·7 per thousand of estimated population. This rate is 2·3 below that for the corresponding week of last year, and 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 12·5 per thousand; and the highest in Glasgow, viz., 23·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·1 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 104, being 17 less than the number for last week.

The mean Temperature was 48°·0, being 3°·0 above that for the week immediately preceding, and 2°·8 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, April 14, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Apr. 14, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	897	563	206	67·0	34·3	48·0	0·42
GLASGOW, . . .	11,861	686,820	57·906	9·82	469	304	99	66·4	34·9	49·4	0·58
EDINBURGH, . .	6,166	270,588	43·884	11·28	163	88	32	63·8	34·3	48·0	0·05
DUNDEE, . . .	4,162	158,719	38·135	12·11	75	47	44	62·7	38·1	47·1	0·33
ABERDEEN, . .	6,795	131,642	19·373	16·98	63	43	11	61·2	38·8	46·2	0·05
LEITH,	2,042	72,003	35·261	12·59	38	30	8	62·3	36·9	48·4	0·04
PAISLEY, . . .	3,538	70,363	19·888	16·76	41	26	4	67·0	40·9	49·7	1·17
GREENOCK, .	1,440	62,400	43·333	11·36	31	15	6	64·2	36·0	47·7	1·07
PERTH,	4,336	30,427	7·017	28·22	17	10	2	62·0	37·5	47·4	0·10
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	953	619	245	63·5	26·5	45·2	0·37

Week ending Saturday, APRIL 14, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 14, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·7	2·2	563	94	116	1	2	6	10	34	5	6	3	104	16	106	42	3
GLASGOW, .	23·0	2·5	304	52	48	0	0	2	5	18	4	4	3	64	9	48	26	2
EDINBURGH,	16·9	2·5	88	12	22	0	0	2	4	6	0	1	0	15	1	27	8	0
DUNDEE, . .	15·4	0·3	47	8	17	0	0	0	0	0	1	0	0	8	1	8	3	1
ABERDEEN, .	17·0	2·8	43	7	13	0	2	2	1	2	0	0	0	3	1	9	2	0
LEITH, . . .	21·7	3·6	30	9	2	1	0	0	0	4	0	0	0	3	2	7	1	0
PAISLEY, . .	19·2	1·5	26	2	9	0	0	0	0	1	0	1	0	7	0	3	2	0
GREENOCK, .	12·5	1·7	15	2	4	0	0	0	0	2	0	0	0	2	2	3	0	0
PERTH, . . .	17·1	1·7	10	2	1	0	0	0	0	1	0	0	0	2	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 15, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·0	3·1	619	137	119	1	47	2	3	17	3	14	7	119	20	102	50	3
GLASGOW, .	26·1	4·4	340	75	46	1	34	2	3	11	1	6	2	70	9	55	20	2
EDINBURGH,	19·4	2·1	100	30	18	0	5	0	0	3	2	1	1	11	5	19	20	0
DUNDEE, . .	15·6	1·3	47	11	18	0	2	0	0	0	0	2	1	15	0	8	2	1
ABERDEEN, .	22·9	2·0	57	8	19	0	1	0	0	1	0	3	2	8	2	11	0	0
LEITH, . . .	12·5	0·7	17	7	7	0	0	0	0	0	0	1	0	5	2	0	3	0
PAISLEY, . .	22·6	4·5	30	3	4	0	4	0	0	1	0	1	0	8	1	7	4	0
GREENOCK, .	15·8	0·8	19	3	4	0	0	0	0	1	0	0	1	2	1	0	1	0
PERTH, . . .	15·4	1·7	9	0	3	0	1	0	0	0	0	0	0	0	0	2	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 16. WEEK ENDING SATURDAY, APRIL 21, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, April 21, 1894, was 17·5 per thousand of estimated population. This rate is 5·2 below that for the corresponding week of last year, and 2·2 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 13·3 per thousand; and the highest in Leith, viz., 23·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·6 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 100, being 4 less than the number for the previous week.

The mean Temperature was 48°·2, being 0°·2 above that for the week immediately preceding, and 0°·3 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, April 21, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Apr. 21, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	932	499	189	66·2	33·0	48·2	0·68
GLASGOW, . . .	11,861	686,820	57·906	9·82	461	244	93	66·2	34·1	49·7	0·59
EDINBURGH, . .	6,166	270,588	43·884	11·28	137	79	35	62·4	37·9	48·3	1·07
DUNDEE, . . .	4,162	158,719	38·135	12·11	111	58	16	61·7	35·6	47·8	0·56
ABERDEEN, . .	6,795	131,642	19·373	16·98	68	37	14	57·2	36·3	46·2	0·61
LEITH,	2,042	72,003	35·261	12·59	51	33	12	59·0	38·6	47·7	1·03
PAISLEY, . . .	3,538	70,363	19·888	16·76	41	22	7	62·3	35·2	49·8	0·52
GREENOCK, .	1,440	62,400	43·333	11·36	48	16	9	61·7	38·0	48·0	0·44
PERTH,*	2,122	30,232	14·247	19·81	15	10	3	62·0	33·0	47·8	0·59
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	976	641	166	72·9	32·2	47·9	0·84

* Area and population now given for Parliamentary instead of Royal Burgh.

Week ending Saturday, APRIL 21, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, April 21, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17.5	1.6	499	95	101	2	2	3	4	18	6	10	5	100	15	109	33	1
GLASGOW, .	18.5	2.2	244	44	41	2	1	2	1	12	5	6	0	45	6	52	14	1
EDINBURGH,	15.2	0.6	79	10	18	0	0	0	1	1	0	1	2	10	4	26	8	0
DUNDEE, . .	19.0	1.6	58	15	10	0	1	1	0	0	1	2	1	17	2	9	6	0
ABERDEEN, .	14.6	1.2	37	3	11	0	0	0	0	3	0	0	1	11	0	7	0	0
LEITH, . . .	23.8	2.9	33	8	9	0	0	0	2	2	0	0	0	5	0	5	1	0
PAISLEY, . .	16.3	0.7	22	7	4	0	0	0	0	0	0	1	1	4	1	4	3	0
GREENOCK, .	13.3	0.0	16	5	3	0	0	0	0	0	0	0	0	6	1	6	1	0
PERTH, . . .	17.2	0.0	10	3	5	0	0	0	0	0	0	0	0	2	1	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, April 22, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22.7	3.8	641	140	142	1	58	6	4	24	6	7	6	116	16	81	60	2
GLASGOW, .	26.3	5.7	343	68	64	1	45	4	3	19	1	1	1	71	8	44	31	2
EDINBURGH,	20.0	1.9	103	21	31	0	4	0	0	3	2	1	2	13	3	14	19	0
DUNDEE, . .	19.5	1.0	59	22	15	0	2	0	0	0	0	1	1	13	1	7	5	0
ABERDEEN, .	17.7	0.8	44	11	18	0	0	0	1	0	0	1	1	11	0	5	0	0
LEITH, . . .	16.8	2.2	23	7	5	0	0	0	0	0	1	2	1	1	1	3	1	0
PAISLEY, . .	24.1	4.5	32	5	5	0	3	1	0	2	0	0	0	2	2	4	3	0
GREENOCK, .	22.4	3.3	27	5	2	0	1	1	0	0	1	1	0	4	1	3	1	0
PERTH, . . .	17.2	6.9	10	1	2	0	3	0	0	0	1	0	0	1	0	1	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 28, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, April 28, 1894, was 19·0 per thousand of estimated population. This rate is 1·9 below that for the corresponding week of last year, but 1·5 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 17·2 per thousand; and the highest in Paisley, viz., 21·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 1·0 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 103, being 3 above the number for the previous week.

The mean Temperature was 47°·8, being 0°·4 below that for the week immediately preceding, and 3°·0 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, April 28, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Apr. 28, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	930	542	229	62·7	34·9	47·8	0·31
GLASGOW, . . .	11,861	686,820	57·906	9·82	421	245	121	62·3	37·1	49·1	0·24
EDINBURGH, . .	6,166	270,588	43·884	11·28	177	99	29	60·4	37·9	48·0	0·21
DUNDEE, . . .	4,162	158,719	38·135	12·11	85	59	12	58·3	34·9	46·0	0·25
ABERDEEN, . .	6,795	131,642	19·373	16·98	87	54	19	56·2	40·7	46·7	0·23
LEITH,	2,042	72,003	35·261	12·59	45	24	16	59·9	37·7	48·2	0·19
PAISLEY, . . .	3,538	70,363	19·888	16·76	48	29	14	62·7	37·9	49·4	0·56
GREENOCK, .	1,440	62,400	43·333	11·36	44	22	9	58·0	39·0	47·7	0·55
PERTH,*	2,122	30,232	14·247	19·81	23	10	9	60·0	36·5	47·5	0·24
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	1007	588	256	74·7	35·1	50·8	0·25

* Area and population now given for Parliamentary instead of Royal Burgh.

Week ending Saturday, APRIL 28, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 28, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	19·0	2·6	542	132	116	4	4	4	14	28	12	8	4	103	15	103	35
GLASGOW, .	18·5	2·6	245	49	48	1	0	2	6	11	10	4	2	40	7	60	11
EDINBURGH,	19·0	2·1	99	23	22	*1	0	2	5	2	0	1	1	20	2	20	12
DUNDEE, . .	19·3	1·0	59	17	13	0	1	0	0	2	0	0	1	16	3	11	3
ABERDEEN, .	21·3	5·1	54	20	16	0	3	0	1	6	0	3	0	12	1	4	1
LEITH, . . .	17·3	3·6	24	4	5	2	0	0	1	0	2	0	0	5	1	3	1
PAISLEY, . .	21·4	4·4	29	12	6	0	0	0	0	6	0	0	0	4	0	2	2
GREENOCK, .	18·3	1·8	22	6	4	0	0	0	1	1	0	0	0	4	1	2	5
PERTH, . . .	17·2	0·0	10	1	2	0	0	0	0	0	0	0	0	2	0	1	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 29, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	20·9	3·3	588	123	112	0	47	6	6	17	7	9	7	142	18	97	45
GLASGOW, .	24·9	5·0	324	64	55	0	38	4	1	12	5	5	2	84	7	50	28
EDINBURGH,	15·3	2·5	79	18	15	0	6	1	2	3	0	1	1	12	4	20	9
DUNDEE, . .	19·2	2·3	58	12	10	0	2	0	2	0	0	3	0	18	3	7	2
ABERDEEN, .	15·3	0·4	38	8	11	0	0	0	0	0	1	0	2	12	1	5	1
LEITH, . . .	12·5	1·5	17	6	4	0	0	1	1	0	0	0	0	3	0	1	1
PAISLEY, . .	21·8	0·8	29	7	7	0	1	0	0	0	0	0	1	4	0	5	0
GREENOCK, .	25·7	2·5	31	6	5	0	0	0	0	2	1	0	1	6	1	5	2
PERTH, . . .	20·6	0·0	12	2	5	0	0	0	0	0	0	0	0	3	2	4	2

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 5, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, May 5, 1894, was 20·1 per thousand of estimated population. This rate is 1·4 below that for the corresponding week of last year, but 1·1 above that for the previous week of the present year.

The lowest mortality was recorded equally in Aberdeen and in Leith, viz., 16·6 per thousand ; and the highest in Glasgow, viz., 22·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 92, being 11 below the number for the previous week.

The mean Temperature was 48°·5, being 0°·7 above that for the week immediately preceding, and 0°·3 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, May 5, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending May 5, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	1009	573	298	64·7	31·0	48·5	0·62
GLASGOW, . . .	11,861	686,820	57·906	9·82	495	290	179	60·1	36·9	48·7	0·47
EDINBURGH, . .	6,166	270,588	43·884	11·28	154	89	55	60·9	35·3	48·7	0·65
DUNDEE, . . .	4,162	158,719	38·135	12·11	128	66	13	64·7	31·0	47·4	0·88
ABERDEEN, . .	6,795	131,642	19·373	16·98	67	42	13	62·0	33·2	46·4	0·60
LEITH,	2,042	72,003	35·261	12·59	48	23	3	60·6	36·9	49·5	0·58
PAISLEY, . . .	3,538	70,363	19·888	16·76	52	27	20	64·2	36·5	49·5	0·40
GREENOCK, .	1,440	62,400	43·333	11·36	48	24	9
PERTH,*	2,122	30,232	14·247	19·81	17	12	6	63·5	33·0	49·1	0·73
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	976	606	265	66·9	34·0	48·2	0·25

* Area and population now given for Parliamentary instead of Royal Burgh.

Week ending Saturday, MAY 5, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, May 5, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·1	2·7	573	106	126	3	4	7	10	40	6	7	3	92	23	110	53	3
GLASGOW, .	22·0	3·3	290	56	59	0	1	2	6	26	3	5	0	47	14	49	22	3
EDINBURGH,	17·1	2·1	89	12	24	2	0	2	3	3	1	0	3	14	3	18	24	0
DUNDEE, . .	21·6	1·3	66	15	16	0	1	0	0	2	1	0	0	12	3	12	2	0
ABERDEEN, .	16·6	2·4	42	7	7	0	0	2	0	4	0	0	0	6	1	12	1	0
LEITH, . . .	16·6	3·6	23	4	5	1	0	0	1	3	0	0	0	4	0	4	2	0
PAISLEY, . .	20·0	2·2	27	3	7	0	0	0	0	2	1	0	0	4	1	7	0	0
GREENOCK, .	20·0	4·2	24	8	5	0	2	1	0	0	0	2	0	3	0	2	1	0
PERTH, . . .	20·7	0·0	12	1	3	0	0	0	0	0	0	0	0	2	1	6	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, May 6, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·5	3·6	606	120	100	0	48	9	1	29	6	8	3	113	17	112	40	1
GLASGOW, .	26·4	5·4	344	71	48	0	35	7	0	23	3	3	0	69	10	65	22	0
EDINBURGH,	16·5	1·7	85	9	23	0	1	1	0	4	1	2	1	11	0	18	11	0
DUNDEE, . .	17·9	4·0	54	12	6	0	6	0	1	1	2	2	0	12	4	8	4	0
ABERDEEN, .	17·7	0·0	44	10	7	0	0	0	0	0	0	0	1	7	1	9	1	0
LEITH, . . .	19·8	3·7	27	7	6	0	2	1	0	1	0	1	0	1	1	6	1	1
PAISLEY, . .	13·5	0·8	18	2	4	0	1	0	0	0	0	0	0	6	0	3	0	0
GREENOCK, .	20·7	2·5	25	7	4	0	3	0	0	0	0	0	1	6	1	2	0	0
PERTH, . . .	15·4	0·0	9	2	2	0	0	0	0	0	0	0	0	1	0	1	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 12, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, May 12, 1894, was 19·8 per thousand of estimated population. This rate is 0·9 below that for the corresponding week of last year, and 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·6 per thousand ; and the highest in Perth, viz., 22·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 105, being 13 above the number for the previous week.

The mean Temperature was 48°·9, being 0°·4 above that for the week immediately preceding, but 4°·6 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, May 12, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending May 12, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	877	566	92	61·4	35·7	48·9	0·66
GLASGOW, . . .	11,861	686,820	57·906	9·82	460	283	56	58·0	39·7	49·1	0·49
EDINBURGH, . .	6,166	270,588	43·884	11·28	134	94	14	60·3	40·1	49·5	0·45
DUNDEE, . . .	4,162	158,719	38·135	12·11	95	60	8	61·4	38·2	49·3	0·33
ABERDEEN, . .	6,795	131,642	19·373	16·98	63	45	5	58·6	35·7	48·0	0·43
LEITH,	2,042	72,003	35·261	12·59	41	23	3	60·3	41·1	50·2	0·45
PAISLEY, . . .	3,538	70,363	19·888	16·76	35	24	2	60·0	39·5	49·1	0·84
GREENOCK, . .	1,440	62,400	43·333	11·36	38	24	2	56·5	39·2	47·4	1·73
PERTH,*	4,336	30,427	7·017	28·22	11	13	2	58·5	37·5	48·8	0·57
Corresponding Week of 1893. — Eight Towns.	40,104	1,465,536	36·330	12·40	1026	582	59	70·2	35·5	53·9	0·11

* Area and population now given for Parliamentary instead of Royal Burgh.

Week ending Saturday, MAY 12, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 12, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·8	2·9	566	109	109	1	4	9	9	39	7	13	5	105	13	101	45	1
GLASGOW, .	21·4	3·0	283	54	45	0	0	4	5	21	3	6	3	55	5	42	22	0
EDINBURGH,	18·1	4·0	94	16	24	0	0	3	2	11	1	4	1	14	3	23	13	0
DUNDEE, . .	19·7	2·6	60	14	5	0	4	0	1	0	2	1	0	13	1	12	2	0
ABERDEEN, .	17·8	2·0	45	10	18	0	0	0	1	2	0	2	0	10	0	9	1	0
LEITH, . . .	16·6	2·2	23	5	4	1	0	0	0	2	0	0	0	3	0	3	0	0
PAISLEY, . .	17·7	0·0	24	6	6	0	0	0	0	0	0	0	1	6	2	6	4	0
GREENOCK, .	20·0	2·5	24	3	4	0	0	0	0	3	0	0	0	2	1	3	1	0
PERTH, . . .	22·4	5·2	13	1	3	0	0	2	0	0	1	0	0	2	1	3	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 13, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·7	3·9	582	115	122	3	47	5	7	28	6	14	6	99	16	102	41	3
GLASGOW, .	24·8	6·1	323	63	47	*2	37	4	5	21	2	9	4	57	10	67	24	2
EDINBURGH,	15·7	1·6	81	14	23	0	1	1	1	5	0	0	0	12	3	11	9	0
DUNDEE, . .	14·9	2·0	45	13	11	0	2	0	1	0	2	1	0	9	1	5	2	0
ABERDEEN, .	19·3	0·8	48	6	19	0	0	0	0	0	0	2	2	5	1	3	2	1
LEITH, . . .	15·4	1·5	21	6	5	0	1	0	0	0	1	0	0	6	0	3	0	0
PAISLEY, . .	21·8	1·5	29	3	10	0	1	0	0	1	0	0	0	3	0	9	2	0
GREENOCK, .	18·2	6·6	22	7	4	*1	5	0	0	1	0	1	0	4	0	0	1	0
PERTH, . . .	22·3	3·4	13	3	3	0	0	0	0	0	1	1	0	3	1	4	1	0

* 1 Death from Chicken Pox in Glasgow and 1 in Greenock.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 20.

WEEK ENDING SATURDAY, MAY 19, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, May 19, 1894, was 17·4 per thousand of estimated population. This rate is 4·5 below that for the corresponding week of last year, and 2·4 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·8 per thousand; and the highest in Dundee viz., 20·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·8 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 89, being 16 below the number for the previous week.

The mean Temperature was 46°·5, being 2°·4 below that for the week immediately preceding, and 7°·0 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, May 19, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending May 19, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	894	497	90	59·9	35·5	46·5	1·17
GLASGOW, . . .	11,861	686,820	57·906	9·82	443	232	49	59·9	35·5	47·7	1·20
EDINBURGH, . .	6,166	270,588	43·884	11·28	144	94	12	58·1	38·5	45·7	1·17
DUNDEE, . . .	4,162	158,719	38·135	12·11	98	63	7	55·8	37·0	45·8	1·36
ABERDEEN, . .	6,795	131,642	19·373	16·98	77	38	8	54·3	37·2	45·5	1·23
LEITH,	2,042	72,003	35·261	12·59	35	21	5	54·2	40·1	46·3	1·14
PAISLEY, . . .	3,538	70,363	19·888	16·76	36	20	5	59·0	39·5	47·4	1·07
GREENOCK, . .	1,440	62,400	43·333	11·36	46	18	3	57·0	39·0	47·0	1·07
PERTH,*	4,336	30,427	7·017	28·22	15	11	1	56·5	36·5	46·9	1·13
Corresponding Week of 1893. — Eight Towns.	40,104	1,465,536	36·330	12·40	913	618	79	73·0	42·3	53·5	1·09

* Area and population now given for Parliamentary instead of Royal Burgh.

Week ending Saturday, MAY 19, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, May 19, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17.4	2.1	497	100	100	3	5	6	8	26	7	5	0	89	16	100	23	2
GLASGOW, .	17.6	1.7	232	46	42	0	2	3	3	11	1	2	0	49	9	48	8	1
EDINBURGH,	18.1	2.7	94	18	21	2	0	3	1	4	2	2	0	17	2	29	5	0
DUNDEE, . .	20.6	3.3	63	16	14	0	2	0	0	6	2	0	0	14	1	10	3	0
ABERDEEN, .	15.0	2.8	38	9	6	0	1	0	1	3	1	1	0	3	1	5	2	0
LEITH, . . .	15.2	2.2	21	3	5	1	0	0	1	1	0	0	0	2	1	3	0	0
PAISLEY, . .	14.8	2.2	20	2	6	0	0	0	1	1	1	0	0	1	1	4	2	0
GREENOCK, .	15.0	0.8	18	4	4	0	0	0	1	0	0	0	0	2	1	0	2	0
PERTH, . . .	18.9	0.0	11	2	2	0	0	0	0	0	0	0	0	1	0	1	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, May 20, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21.9	3.8	618	140	110	2	51	8	5	23	4	15	5	117	21	87	51	4
GLASGOW, .	26.8	6.1	349	83	45	*2	38	7	2	18	3	9	1	74	9	44	29	2
EDINBURGH,	17.1	1.2	88	10	28	0	2	0	0	4	0	0	1	15	6	18	13	0
DUNDEE, . .	17.6	1.7	53	19	8	0	2	0	1	0	0	2	0	8	4	4	5	0
ABERDEEN, .	16.9	1.6	42	10	10	0	1	1	0	0	0	2	1	6	0	8	1	1
LEITH, . . .	19.0	3.7	26	11	2	0	2	0	1	0	1	1	1	5	1	3	0	0
PAISLEY, . .	21.1	1.5	28	4	7	0	0	0	1	0	0	1	1	4	1	6	1	0
GREENOCK, .	19.1	5.8	23	3	6	0	6	0	0	1	0	0	0	3	0	1	2	1
PERTH, . . .	15.4	0.0	9	0	4	0	0	0	0	0	0	0	0	2	0	3	0	0

* 1 Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 21.

WEEK ENDING SATURDAY, MAY 26, 1894.

The Death rate in Eight Principal Towns during the week ending with Saturday, May 26, 1894, was 19·0 per thousand of estimated population. This rate is 1·3 below that for the corresponding week of last year, but 1·6 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·7 per thousand; and the highest in Dundee viz., 21·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being the same as the rate for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 85, being 4 below the number for the previous week.

The mean Temperature was 45°·7, being 0°·8 below that for the week immediately preceding, and 10°·6 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, May 26, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending May 26, 1894.			Temperature.			Rainfall in Inches.
					Births.	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	40,340	1,482,962	36·762	12·33	888	542	84	66·0	28·5	45·7	0·15
GLASGOW, . . .	11,861	686,820	57·906	9·82	418	268	34	64·9	28·8	46·3	0·10
EDINBURGH, . .	6,166	270,588	43·884	11·28	139	87	15	64·1	32·0	46·2	0·08
DUNDEE, . . .	4,162	158,719	38·135	12·11	103	64	9	64·6	29·7	45·1	0·07
ABERDEEN, . .	6,795	131,642	19·373	16·98	99	48	18	58·1	32·5	44·6	0·51
LEITH,	2,042	72,003	35·261	12·59	37	19	2	65·4	33·9	46·1	0·08
PAISLEY, . . .	3,538	70,363	19·888	16·76	41	20	2	64·2	31·0	46·7	0·16
GREENOCK, . .	1,440	62,400	43·333	11·36	40	25	4	64·0	32·5	45·8	0·07
PERTH,*	4,336	30,427	7·017	28·22	11	11	0	66·0	28·5	44·8	0·17
Corresponding Week of 1893. — Eight Towns.	40,104	1,465,536	36·330	12·40	969	572	110	71·2	43·0	56·3	0·21

* Area and population now given for Parliamentary instead of Royal Burgh.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.

Week ending Saturday, MAY 26, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 26, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.0	2.1	542	103	104	1	4	4	6	31	6	9	4	85	26	93	44	3
GLASGOW, .	20.3	1.9	268	49	45	0	1	4	3	12	1	4	1	44	20	52	23	1
EDINBURGH,	16.7	1.3	87	9	22	0	0	0	1	3	2	1	0	14	4	16	8	0
DUNDEE, . .	21.0	3.6	64	17	14	0	1	0	0	6	2	2	0	11	0	8	4	0
ABERDEEN, .	19.0	2.4	48	10	10	0	1	0	1	4	0	0	1	4	1	7	1	0
LEITH, . . .	13.7	2.2	19	5	4	1	0	0	1	1	0	0	0	3	0	6	1	0
PAISLEY, . .	14.8	3.0	20	4	2	0	1	0	0	2	0	1	1	3	0	1	2	0
GREENOCK, .	20.8	2.5	25	5	5	0	0	0	0	2	0	1	1	5	1	2	4	2
PERTH, . . .	18.9	3.4	11	4	2	0	0	0	0	1	1	0	0	1	0	1	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 27, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20.3	3.3	572	113	109	2	42	6	5	25	4	9	4	91	23	99	48	2
GLASGOW, .	23.2	4.8	302	64	48	1	30	5	2	19	2	3	1	47	15	54	24	2
EDINBURGH,	19.6	1.6	101	20	19	0	3	0	0	3	0	2	1	20	4	20	19	0
DUNDEE, . .	17.2	2.0	52	9	9	0	1	0	1	0	2	2	1	8	0	11	4	0
ABERDEEN, .	17.3	0.0	43	4	17	0	0	0	0	0	0	0	0	4	3	9	0	0
LEITH, . . .	13.2	3.7	18	3	0	1	1	1	2	0	0	0	0	3	0	3	0	0
PAISLEY, . .	12.8	0.8	17	4	4	0	0	0	0	1	0	0	0	6	0	2	0	0
GREENOCK, .	26.5	8.3	32	7	10	0	7	0	0	2	0	1	0	3	1	0	1	0
PERTH, . . .	12.0	1.7	7	2	2	0	0	0	0	0	0	1	1	0	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, JUNE 2, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 2, 1894, was 20·3 per thousand of estimated population. This rate is 1·1 above that for the corresponding week of last year, and 1·3 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·8 per thousand; and the highest in Leith, viz., 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being an increase of 0·5 on the rate for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 93, being 8 above the number for the previous week.

The mean Temperature was 48°·3, being 2°·6 above that for the week immediately preceding, but 6°·0 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, June 2, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending June 2, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	879	578	173	67·1	34·0	48·3	0·61
GLASGOW, . . .	11,861	686,820	57·906	9·82	433	276	70	67·1	36·3	49·3	0·44
EDINBURGH, . .	6,166	270,588	43·884	11·28	155	92	34	61·9	38·7	48·1	1·05
DUNDEE, . . .	4,162	158,719	38·135	12·11	79	55	22	58·8	39·3	47·8	0·90
ABERDEEN, . .	6,795	131,642	19·373	16·98	75	55	19	58·2	37·5	47·2	0·90
LEITH,	2,042	72,003	35·261	12·59	38	40	11	60·0	39·9	48·3	0·82
PAISLEY, . . .	3,538	70,363	19·888	16·76	39	25	2	65·0	38·0	49·3	0·26
GREENOCK, .	1,440	62,400	43·333	11·36	44	27	11	59·5	39·0	47·9	0·08
PERTH,	2,122	30,232	14·247	19·81	16	8	4	64·0	34·0	48·6	0·46
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	966	541	169	74·5	40·4	54·3	0·35

Week ending Saturday, JUNE 2, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 2, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·3	2·6	578	100	143	5	1	6	6	37	8	12	2	93	21	113	43	1
GLASGOW, .	20·9	2·6	276	47	60	0	0	3	3	19	3	6	1	47	13	54	20	0
EDINBURGH,	17·7	1·9	92	15	22	0	0	1	0	6	2	1	0	19	3	25	11	0
DUNDEE, . .	18·0	2·9	55	10	14	0	1	1	2	3	0	2	0	7	1	9	5	1
ABERDEEN, .	21·7	3·9	55	10	20	0	0	0	1	8	0	1	1	5	1	10	1	0
LEITH, . . .	28·9	5·8	40	6	9	5	0	0	0	1	1	1	0	9	1	9	2	0
PAISLEY, . .	18·5	2·2	25	6	10	0	0	1	0	0	2	0	0	4	0	5	3	0
GREENOCK, .	22·5	0·8	27	4	6	0	0	0	0	0	0	1	0	1	2	1	1	0
PERTH, . . .	13·8	0·0	8	2	2	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 3, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.				
In Eight Towns,	19·2	3·3	541	126	103	1	45	6	2	21	3	15	2	86	23	72	58	3	
GLASGOW, .	21·6	4·4	282	69	40	*1	27	5	0	15	2	7	1	44	12	33	28	2	
EDINBURGH,	15·7	1·7	81	14	23	0	5	0	1	3	0	0	0	10	3	17	15	0	
DUNDEE, . .	16·2	1·7	49	11	13	0	0	0	0	1	1	3	0	8	4	8	6	0	
ABERDEEN, .	16·1	0·8	40	8	12	0	0	0	0	1	0	1	0	9	1	6	1	0	
LEITH, . . .	13·2	1·5	18	5	3	0	0	1	0	0	0	1	0	5	1	1	2	0	
PAISLEY, . .	18·1	0·0	24	7	6	0	0	0	0	0	0	0	0	5	1	4	3	1	
GREENOCK, .	27·4	10·8	33	10	2	0	12	0	0	1	0	0	1	4	1	3	2	0	
PERTH, . . .	24·0	8·6	14	2	4	0	1	0	1	0	0	3	0	1	0	0	1	0	

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 23. WEEK ENDING SATURDAY, JUNE 9, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 9, 1894, was 19·3 per thousand of estimated population. This rate is 1·9 below that for the corresponding week of last year, and 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·6 per thousand; and the highest in Paisley, viz., 21·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 105, being 12 above the number for the previous week.

The mean Temperature was 51°·3, being 3°·0 above that for the week immediately preceding, but 6°·3 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, June 9, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending June 9, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	948	551	518	67·1	34·8	51·3	1·06
GLASGOW, . . .	11,861	686,820	57·906	9·82	455	253	266	64·0	35·8	51·9	0·99
EDINBURGH, . .	6,166	270,588	43·884	11·28	167	104	103	64·0	38·7	50·7	1·32
DUNDEE, . . .	4,162	158,719	38·135	12·11	95	55	33	62·8	38·2	50·3	1·07
ABERDEEN, . .	6,795	131,642	19·373	16·98	78	53	49
LEITH,	2,042	72,003	35·261	12·59	42	23	28	66·0	40·1	51·4	1·17
PAISLEY, . . .	3,538	70,363	19·888	16·76	58	29	10	67·1	37·7	52·1	0·82
GREENOCK, .	1,440	62,400	43·333	11·36	35	24	16	63·2	40·0	51·7	0·69
PERTH,	2,122	30,232	14·247	19·81	18	10	13	65·5	34·8	51·2	1·38
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	922	598	490	72·8	44·0	57·6	0·26

Week ending Saturday, JUNE 9, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 9, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.3	2.2	551	115	130	8	5	8	7	18	5	11	2	105	20	98	46	1
GLASGOW, .	19.2	2.2	253	50	52	0	3	5	5	11	3	2	0	59	10	43	25	1
EDINBURGH,	20.0	1.5	104	18	28	4	0	0	1	1	0	2	1	14	4	25	10	0
DUNDEE, . .	18.0	2.0	55	18	12	0	2	1	0	0	1	2	0	9	2	7	3	0
ABERDEEN, .	20.9	1.6	53	13	15	0	0	1	0	2	0	1	1	8	1	7	2	0
LEITH, . . .	16.6	4.3	23	4	7	4	0	0	0	1	1	0	0	5	1	7	3	0
PAISLEY, . .	21.4	3.0	29	7	9	0	0	0	1	1	0	2	0	7	0	7	1	0
GREENOCK, .	20.0	4.2	24	3	4	0	0	1	0	2	0	2	0	2	1	2	1	0
PERTH, . . .	17.2	0.0	10	2	3	0	0	0	0	0	0	0	0	1	1	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 10, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21.2	3.8	598	123	107	1	46	7	7	26	4	16	6	101	23	102	47	1
GLASGOW, .	22.4	5.5	292	63	27	1	33	5	3	19	0	11	2	46	13	50	18	1
EDINBURGH,	18.1	1.7	93	19	30	0	4	0	0	3	1	1	1	15	4	21	18	0
DUNDEE, . .	22.1	2.0	67	16	16	0	1	0	1	1	2	1	0	14	3	10	4	0
ABERDEEN, .	16.5	1.2	41	6	13	0	0	1	1	0	0	1	0	6	2	6	0	0
LEITH, . . .	17.6	2.9	24	3	6	0	1	1	2	0	0	0	1	3	1	4	1	0
PAISLEY, . .	28.6	2.3	38	9	7	0	0	0	0	2	0	1	0	9	0	7	3	0
GREENOCK, .	26.5	8.3	32	7	3	0	7	0	0	1	1	1	1	5	0	2	3	0
PERTH, . . .	18.9	0.0	11	0	5	0	0	0	0	0	0	0	1	3	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

o. 24. WEEK ENDING SATURDAY, JUNE 16, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 13, 1894, was 17·9 per thousand of estimated population. This rate is 2·3 below that for the corresponding week of last year, and 1·4 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·0 per thousand; and the highest in Aberdeen, viz., 20·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being the same as that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 90, being 15 below the number for the previous week.

The mean Temperature was 54°·4, being 3°·1 above that for the week immediately preceding, and 6°·6 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, June 16, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending June 16, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	874	509	468	73·2	39·0	54·4	1·03
GLASGOW, . . .	11,861	686,820	57·906	9·82	448	256	198	70·1	43·0	54·9	1·05
EDINBURGH, . .	6,166	270,588	43·884	11·28	130	75	100	65·9	45·1	55·4	1·03
DUNDEE, . . .	4,162	158,719	38·135	12·11	69	57	38	68·4	43·3	54·7	0·48
ABERDEEN, . .	6,795	131,642	19·373	16·98	81	51	53	62·5	42·4	52·3	0·77
LEITH,	2,042	72,003	35·261	12·59	52	27	20	67·1	46·9	56·4	0·93
PAISLEY, . . .	3,538	70,363	19·888	16·76	43	17	35	73·2	43·5	55·4	0·88
GREENOCK, . .	1,440	62,400	43·333	11·36	34	19	9	66·2	44·0	53·0	1·40
PERTH,	2,122	30,232	14·247	19·81	17	7	15	66·5	39·0	53·4	1·69
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	908	570	425	84·7	44·0	61·0	0·01

Week ending Saturday, JUNE 16, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 16, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	17·9	2·2	509	111	88	7	10	3	7	22	3	10	1	90	25	93	34	4	
GLASGOW, .	19·4	2·3	256	65	32	0	7	2	2	13	1	6	0	40	11	41	18	4	
EDINBURGH,	14·4	1·7	75	15	16	0	0	0	4	3	1	1	0	17	5	19	12	0	
DUNDEE, . .	18·7	2·6	57	8	11	1	2	0	0	2	1	2	0	9	3	8	1	0	
ABERDEEN, .	20·1	2·8	51	12	14	1	1	1	0	3	0	1	1	11	3	10	2	0	
LEITH, . . .	19·5	3·6	27	3	6	5	0	0	0	0	0	0	0	2	2	9	1	0	
PAISLEY, . .	12·6	0·7	17	3	4	0	0	0	1	0	0	0	0	7	0	5	0	0	
GREENOCK, .	15·8	0·8	19	5	3	0	0	0	0	1	0	0	0	4	1	1	0	0	
PERTH, . . .	12·0	0·0	7	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 17, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·2	3·5	570	116	105	0	46	6	6	21	7	12	9	89	22	95	52	0	
GLASGOW, .	23·9	5·1	311	66	45	0	31	4	4	17	3	7	5	39	16	61	33	0	
EDINBURGH,	17·1	1·9	88	16	20	0	3	0	1	3	1	2	1	16	2	18	11	0	
DUNDEE, . .	18·2	1·0	55	13	15	0	1	0	0	0	2	0	0	17	1	8	2	0	
ABERDEEN, .	17·3	0·8	43	12	12	0	0	0	0	0	0	2	1	8	2	6	1	0	
LEITH, . . .	16·8	2·9	23	1	4	0	1	2	0	1	0	0	1	4	0	0	2	0	
PAISLEY, . .	14·3	0·8	19	2	5	0	0	0	0	0	1	0	0	1	0	2	1	0	
GREENOCK, .	20·7	10·0	25	6	2	0	10	0	1	0	0	1	1	4	0	0	1	0	
PERTH, . . .	10·3	0·0	6	0	2	0	0	0	0	0	0	0	0	0	1	0	1	0	

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 25. WEEK ENDING SATURDAY, JUNE 23, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 23, 1894, was 16·6 per thousand of estimated population. This rate is 5·4 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·3 per thousand; and the highest in Greenock, viz., 19·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 65, being 25 below the number for the previous week.

The mean Temperature was 54°·8, being 6°·4 above that for the week immediately preceding, but 3°·6 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, June 23, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending June 23, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	947	472	334	68·4	40·0	54·8	0·51
GLASGOW, . . .	11,861	686,820	57·906	9·82	461	226	155	67·8	40·9	54·7	0·63
EDINBURGH, . .	6,166	270,588	43·884	11·28	150	89	70	67·0	43·9	55·2	0·25
DUNDEE, . . .	4,162	158,719	38·135	12·11	98	55	21	67·9	40·9	55·4	0·44
ABERDEEN, . .	6,795	131,642	19·373	16·98	91	36	33	63·4	40·4	53·2	0·51
LEITH,	2,042	72,003	35·261	12·59	46	19	17	68·4	45·7	56·5	0·26
PAISLEY, . . .	3,538	70,363	19·888	16·76	43	18	7	64·7	42·1	54·4	0·76
GREENOCK, .	1,440	62,400	43·333	11·36	42	23	17	64·0	43·0	54·1	0·94
PERTH,	2,122	30,232	14·247	19·81	16	6	14	66·5	40·0	55·1	0·33
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	971	621	358	88·5	45·2	58·4	1·27

Week ending Saturday, JUNE 23, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 23, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.				
In Eight Towns,	16.6	2.0	472	91	95	5	7	7	6	18	5	10	1	65	21	94	33	1	
GLASGOW, .	17.1	2.0	226	41	36	0	3	4	4	11	0	5	1	30	16	40	11	1	
EDINBURGH,	17.1	2.7	89	21	18	2	0	2	2	1	3	4	0	16	2	29	17	0	
DUNDEE, . .	18.0	1.6	55	17	11	0	3	0	0	2	0	0	0	11	0	5	3	0	
ABERDEEN, .	14.2	1.6	36	4	14	0	0	0	0	3	1	0	0	4	0	7	2	0	
LEITH, . . .	13.7	2.2	19	4	4	3	0	0	0	0	0	0	0	0	1	4	0	0	
PAISLEY, . .	13.3	2.2	18	2	6	0	1	0	0	0	1	1	0	1	1	3	0	0	
GREENOCK, .	19.2	0.8	23	2	4	0	0	0	0	1	0	0	0	3	1	3	0	0	
PERTH, . . .	10.3	1.7	6	0	2	0	0	1	0	0	0	0	0	0	0	3	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 24, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.				
In Eight Towns,	22.0	4.5	621	151	110	0	50	4	6	18	6	43	4	95	13	94	38	1	
GLASGOW, .	23.7	6.5	309	74	42	0	29	3	4	15	3	31	1	43	9	46	18	1	
EDINBURGH,	17.7	2.3	91	21	28	0	4	1	2	1	1	3	0	14	0	14	13	0	
DUNDEE, . .	24.1	1.3	73	23	12	0	0	0	0	2	2	0	1	17	3	10	1	0	
ABERDEEN, .	20.5	1.2	51	9	14	0	0	0	0	0	0	3	1	11	0	12	0	0	
LEITH, . . .	11.7	0.0	16	5	2	0	0	0	0	0	0	0	1	1	0	3	0	0	
PAISLEY, . .	20.3	0.8	27	3	8	0	0	0	0	0	0	1	0	3	0	7	1	0	
GREENOCK, .	34.8	18.2	42	14	3	0	17	0	0	0	0	5	0	4	1	1	3	0	
PERTH, . . .	20.6	0.0	12	2	1	0	0	0	0	0	0	0	0	2	0	1	2	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 26.

WEEK ENDING SATURDAY, JUNE 30, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 30, 1894, was 16·9 per thousand of estimated population. This rate is 5·0 below that for the corresponding week of last year, but 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 13·1 per thousand ; and the highest in Aberdeen, viz., 22·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 74, being 9 above the number for the previous week.

The mean Temperature was 59°·2, being 4°·4 above that for the week immediately preceding, and 0°·9 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, June 30, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending June 30, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	844	481	335	84·5	42·8	59·2	0·05
GLASGOW, . . .	11,861	686,820	57·906	9·82	420	222	170	84·5	47·9	61·8	0·02
EDINBURGH, . .	6,166	270,588	43·884	11·28	137	68	73	74·1	47·0	59·2	0·04
DUNDEE, . . .	4,162	158,719	38·135	12·11	83	61	20	73·6	43·0	58·5	0·02
ABERDEEN, . .	6,795	131,642	19·373	16·98	75	56	37	68·4	42·8	56·3	0·02
LEITH,	2,042	72,003	35·261	12·59	35	20	17	75·2	48·7	59·0	0·07
PAISLEY, . . .	3,538	70,363	19·888	16·76	42	23	8	83·0	48·0	61·6	0·07
GREENOCK, .	1,440	62,400	43·333	11·36	37	22	7	76·2	48·0	60·0	0·12
PERTH,	2,122	30,232	14·247	19·81	15	9	3	72·5	44·0	57·6	0·00
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	980	617	314	77·0	43·7	58·3	0·68

Week ending Saturday, JUNE 30, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, June 30, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	16.9	2.1	481	103	86	3	8	10	7	20	2	11	7	74	27	94	22	2	
GLASGOW, .	16.8	2.3	222	46	35	0	4	6	3	9	2	7	1	41	13	44	10	2	
EDINBURGH,	13.1	0.6	68	12	13	0	0	0	3	0	0	0	3	6	6	18	7	0	
DUNDEE, . .	20.0	2.3	61	12	11	0	3	0	0	3	0	1	1	9	3	10	0	0	
ABERDEEN, .	22.1	5.1	56	16	9	0	1	3	1	5	0	3	1	4	3	12	2	0	
LEITH, . . .	14.4	2.9	20	5	4	3	0	0	0	1	0	0	0	1	0	2	0	0	
PAISLEY, . .	17.0	1.5	23	6	3	0	0	1	0	1	0	0	1	12	0	4	0	0	
GREENOCK, .	18.3	0.8	22	5	7	0	0	0	0	1	0	0	0	0	2	1	3	0	
PERTH, . . .	15.5	0.0	9	1	4	0	0	0	0	0	0	0	0	1	0	3	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 1, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21.9	4.8	617	159	87	0	44	5	8	17	5	56	6	83	16	96	53	3	
GLASGOW, .	23.6	5.8	307	83	28	0	21	4	4	9	2	35	1	38	9	50	25	3	
EDINBURGH,	22.0	3.5	113	25	27	0	7	1	1	1	2	6	1	13	6	26	16	0	
DUNDEE, . .	18.5	3.6	56	16	13	0	2	0	1	4	1	3	0	11	0	1	5	0	
ABERDEEN, .	18.5	1.2	46	9	11	0	0	0	1	0	0	2	1	12	0	11	1	0	
LEITH, . . .	14.7	1.5	20	8	2	0	1	0	0	0	0	1	1	3	0	0	1	0	
PAISLEY, . .	16.6	3.8	22	5	2	0	0	0	0	1	0	4	0	4	1	3	2	0	
GREENOCK, .	34.0	15.8	41	13	2	0	13	0	0	2	0	4	2	2	0	1	3	0	
PERTH, . . .	20.6	3.4	12	0	2	0	0	0	1	0	0	1	0	0	0	4	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 27. WEEK ENDING SATURDAY, JULY 7, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 7, 1894, was 15·9 per thousand of estimated population. This rate is 5·6 below that for the corresponding week of last year, and 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·3 per thousand; and the highest in Greenock, viz., 19·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 53, being 21 below the number for the previous week.

The Mean Temperature was 61°·1, being 1°·9 above that for the week immediately preceding, and 1°·3 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, July 7, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending July 7, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	883	454	373	81·5	47·0	61·1	1·04
GLASGOW, . . .	11,861	686,820	57·906	9·82	418	218	189	79·9	47·6	61·4	1·50
EDINBURGH, . .	6,166	270,588	43·884	11·28	133	81	51	77·5	48·3	61·4	0·81
DUNDEE, . . .	4,162	158,719	38·135	12·11	117	54	23	72·7	47·6	61·5	0·72
ABERDEEN, . .	6,795	131,642	19·373	16·98	68	38	38	70·9	47·0	59·1	0·43
LEITH,	2,042	72,003	35·261	12·59	59	18	26	71·4	48·8	61·8	0·99
PAISLEY, . . .	3,538	70,363	19·888	16·76	47	16	18	78·8	51·0	61·1	1·43
GREENOCK, . .	1,440	62,400	43·333	11·36	37	23	24	80·2	51·0	61·8	1·54
PERTH,	2,122	30,232	14·247	19·81	4	6	4	81·5	48·0	60·4	0·93
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	841	607	338	78·8	49·0	59·8	0·67

Week ending Saturday, JULY 7, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 7, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	15.9	1.9	454	93	95	4	7	9	6	14	6	9	4	53	11	100	32	1
GLASGOW, .	16.5	2.0	218	46	51	0	2	6	5	6	4	4	1	28	7	51	21	1
EDINBURGH,	15.6	1.7	81	15	21	3	0	1	1	4	0	0	1	6	2	19	6	0
DUNDEE, . .	17.7	1.6	54	14	12	0	4	0	0	0	0	1	0	8	0	9	3	0
ABERDEEN, .	15.0	1.6	38	8	7	0	0	1	0	1	0	2	1	4	1	9	0	0
LEITH, . . .	13.0	1.4	18	3	2	1	0	0	0	1	0	0	0	1	0	3	1	0
PAISLEY, . .	11.8	2.2	16	1	1	0	0	1	0	0	1	1	0	2	0	3	0	0
GREENOCK, .	19.2	4.2	23	5	1	0	1	0	0	2	1	1	0	4	1	4	1	0
PERTH, . . .	10.3	0.0	6	1	0	0	0	0	0	0	0	0	1	0	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 8, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	21.5	4.7	607	150	110	2	32	5	9	28	1	56	3	84	10	87	41	2
GLASGOW, .	25.2	6.7	328	91	44	0	20	2	6	15	1	43	1	48	7	48	24	2
EDINBURGH,	17.3	3.5	89	17	22	1	1	3	1	7	0	5	1	6	2	25	12	0
DUNDEE, . .	19.2	3.0	58	13	13	0	1	0	1	4	0	3	0	12	1	3	2	0
ABERDEEN, .	16.1	0.0	40	7	13	0	0	0	0	0	0	0	0	7	0	8	0	0
LEITH, . . .	16.1	2.2	22	6	6	0	0	0	0	0	0	3	0	5	0	0	0	0
PAISLEY, . .	21.1	2.3	28	10	6	0	0	0	1	0	0	2	1	4	0	0	3	0
GREENOCK, .	25.7	10.8	31	4	3	*1	10	0	0	2	0	0	0	2	0	2	0	0
PERTH, . . .	18.9	0.0	11	2	3	0	0	0	0	0	0	0	0	0	0	2	0	0

*Chicken-pox.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 28. WEEK ENDING SATURDAY, JULY 14, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 14, 1894, was 15·4 per thousand of estimated population. This rate is 6·5 below that for the corresponding week of last year, and 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·6 per thousand; and the highest in Dundee, viz., 19·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 56, being 3 above the number for the previous week.

The Mean Temperature was 58°·1, being 3°·0 below that for the week immediately preceding, and 0°·4 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, July 14, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending July 14, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	897	440	354	70·2	46·8	58·1	0·73
GLASGOW, . . .	11,861	686,820	57·906	9·82	415	205	168	70·2	47·1	57·9	0·64
EDINBURGH, . .	6,166	270,588	43·884	11·28	147	76	59	67·9	48·6	57·8	0·57
DUNDEE, . . .	4,162	158,719	38·135	12·11	113	58	22	66·8	46·8	58·7	0·67
ABERDEEN, . .	6,795	131,642	19·373	16·98	75	37	38	69·0	50·7	58·4	1·56
LEITH,	2,042	72,003	35·261	12·59	49	16	15	68·9	48·8	58·5	0·57
PAISLEY, . . .	3,538	70,363	19·888	16·76	44	21	22	70·1	47·2	58·1	0·53
GREENOCK, .	1,440	62,400	43·333	11·36	42	20	18	67·0	47·0	56·9	0·42
PERTH,	2,122	30,232	14·247	19·81	12	7	12	69·0	51·0	58·1	0·90
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	891	616	328	73·0	48·7	58·5	0·56

Week ending Saturday, JULY 14, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 14, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																	
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from													Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	15.4	2.0	440	89	94	2	13	6	5	5	3	22	5	56	21	110	30	4			
GLASGOW, .	15.5	1.8	205	38	40	0	8	4	2	2	0	8	1	30	11	56	15	3			
EDINBURGH,	14.6	2.1	76	17	12	1	0	1	2	1	1	5	2	4	5	26	7	0			
DUNDEE, . .	19.0	3.3	58	11	14	0	5	0	0	0	2	3	0	4	3	12	4	0			
ABERDEEN, .	14.6	1.6	37	7	11	0	0	0	0	1	0	3	1	9	1	4	0	1			
LEITH, . . .	11.6	2.2	16	6	4	1	0	0	0	1	0	1	0	1	1	5	2	0			
PAISLEY, . .	15.5	1.5	21	3	6	0	0	1	1	0	0	0	1	5	0	3	1	0			
GREENOCK, .	16.7	1.7	20	6	3	0	0	0	0	0	0	2	0	3	0	2	1	0			
PERTH, . . .	12.0	0.0	7	1	4	0	0	0	0	0	0	0	0	0	0	2	0	0			

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 15, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21.9	4.2	616	172	103	1	23	3	1	26	6	59	1	76	17	88	58	2	
GLASGOW, .	23.4	6.0	305	91	40	*1	9	2	0	20	3	43	0	34	10	45	33	1	
EDINBURGH,	18.5	2.1	95	22	15	0	3	0	0	4	2	2	0	7	0	19	12	0	
DUNDEE, . .	20.2	2.0	61	24	12	0	0	0	1	2	0	3	0	12	1	8	6	0	
ABERDEEN, .	19.3	0.4	48	10	13	0	0	0	0	0	0	1	0	9	0	6	0	0	
LEITH, . . .	23.4	2.9	32	12	7	0	0	1	0	0	1	2	1	2	1	2	2	0	
PAISLEY, . .	17.3	4.5	23	4	5	0	3	0	0	0	0	3	0	6	2	5	0	0	
GREENOCK, .	29.0	9.1	35	6	6	0	8	0	0	0	0	3	0	4	2	1	4	0	
PERTH, . . .	29.2	3.4	17	3	5	0	0	0	0	0	0	2	0	2	1	2	1	1	

*Chicken-pox.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 21, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 21, 1894, was 16·9 per thousand of estimated population. This rate is 3·9 below that for the corresponding week of last year, but 1·5 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 6·9 per thousand; and the highest in Paisley, viz., 25·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·7 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 72, being 16 above the number for the previous week.

The Mean Temperature was 57°·8, being 0°·3 below that for the week immediately preceding, and 0°·4 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the week ending Saturday, July 21, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending July 21, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	888	481	512	71·0	44·0	57·8	1·03
GLASGOW, . . .	11,861	686,820	57·906	9·82	420	228	333	68·8	45·4	58·0	0·52
EDINBURGH, . .	6,166	270,588	43·884	11·28	138	76	55	68·1	46·5	58·4	1·19
DUNDEE, . . .	4,162	158,719	38·135	12·11	107	57	39	71·0	44·0	57·7	1·06
ABERDEEN, . .	6,795	131,642	19·373	16·98	79	46	51	64·7	44·7	56·3	1·60
LEITH,	2,042	72,003	35·261	12·59	43	21	15	70·3	47·6	59·8	1·28
PAISLEY, . . .	3,538	70,363	19·888	16·76	42	34	11	71·0	47·0	58·1	0·65
GREENOCK, .	1,440	62,400	43·333	11·36	43	15	4	65·0	46·0	56·2	0·91
PERTH,	2,122	30,232	14·247	19·81	16	4	4	69·5	45·0	57·7	1·05
Corresponding Week of 1893.—Eight Towns.	40,340	1,465,536	36·330	12·40	944	587	472	71·3	47·0	58·2	1·09

Week ending Saturday, JULY 21, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 21, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.9	1.7	481	89	101	4	11	2	8	3	2	19	3	72	15	102	30	1
GLASGOW, .	17.3	1.7	228	35	45	0	4	2	2	2	2	10	0	33	9	55	15	0
EDINBURGH,	14.6	1.5	76	17	12	3	0	0	1	1	0	3	1	11	2	15	9	1
DUNDEE, . .	18.7	2.9	57	15	9	0	4	0	2	0	0	3	1	10	1	4	0	0
ABERDEEN, .	18.2	0.8	46	6	16	0	0	0	1	0	0	1	1	4	1	14	0	0
LEITH, . . .	15.2	0.7	21	7	4	1	0	0	0	0	0	0	0	3	0	5	1	0
PAISLEY, . .	25.1	2.2	34	6	11	0	1	0	2	0	0	0	0	8	2	6	4	0
GREENOCK, .	12.5	1.7	15	3	4	0	0	0	0	0	0	2	0	3	0	2	1	0
PERTH, . . .	6.9	3.4	4	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 22, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20.8	4.7	587	164	104	0	24	8	6	32	5	57	3	74	15	92	50	2
GLASGOW, .	23.0	6.4	300	93	45	0	16	4	2	22	2	37	1	35	4	43	22	2
EDINBURGH,	19.6	2.1	101	16	24	0	3	1	1	5	0	1	2	12	3	19	18	0
DUNDEE, . .	17.9	3.3	54	20	12	0	0	0	0	3	3	4	0	10	2	7	5	0
ABERDEEN, .	18.1	0.4	45	12	11	0	0	0	0	0	0	1	0	7	4	12	2	0
LEITH, . . .	13.9	3.7	19	4	0	0	0	2	0	0	0	3	0	3	1	4	2	0
PAISLEY, . .	21.1	5.3	28	8	5	0	0	0	3	1	0	3	0	2	1	4	0	0
GREENOCK, .	21.6	9.1	26	5	6	0	5	0	0	1	0	5	0	2	0	1	1	0
PERTH, . . .	24.0	6.9	14	6	1	0	0	1	0	0	0	3	0	3	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 30. WEEK ENDING SATURDAY, JULY 28, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 28, 1894, was 15·1 per thousand of estimated population. This rate is 4·0 below that for the corresponding week of last year, and 1·8 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·0 per thousand; and the highest in Greenock, viz., 23·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·7 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 47, being 25 below the number for the previous week.

The Mean Temperature was 59°·4, being 1°·6 above that for the week immediately preceding, and 1°·2 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 28, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending July 28, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	864	430	249	74·5	41·9	59·4	0·31
GLASGOW, . . .	11,861	686,820	57·906	9·82	453	195	61	74·3	41·9	61·1	0·03
EDINBURGH, . .	6,166	270,588	43·884	11·28	139	72	65	66·9	48·4	58·0	0·14
DUNDEE, . . .	4,162	158,719	38·135	12·11	63	57	75	72·4	46·9	58·9	0·94
ABERDEEN, . .	6,795	131,642	19·373	16·98	70	35	17	63·9	49·2	57·8	0·51
LEITH,	2,042	72,003	35·261	12·59	43	19	9	65·6	48·8	58·1	0·22
PAISLEY, . . .	3,538	70,363	19·888	16·76	39	17	10	74·5	44·7	60·7	0·02
GREENOCK, .	1,440	62,400	43·333	11·36	42	28	7	69·0	48·5	62·0	0·01
PERTH,	2,122	30,232	14·247	19·81	15	7	5	69·5	45·5	59·0	0·60
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	890	539	274	74·6	41·0	58·2	0·63

Week ending Saturday, JULY 28, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 28, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15.1	1.7	430	81	84	1	8	3	6	3	3	24	2	47	20	91	36	3
GLASGOW, .	14.8	1.6	195	38	40	0	4	1	1	2	0	13	1	23	5	40	19	3
EDINBURGH,	13.8	1.3	72	9	19	1	0	1	1	1	1	2	1	5	5	26	6	0
DUNDEE, . .	18.7	2.9	57	11	9	0	4	0	2	0	0	3	0	10	6	13	3	0
ABERDEEN, .	13.8	0.8	35	8	8	0	0	0	0	0	1	1	0	3	2	5	2	0
LEITH, . . .	13.7	1.4	19	3	1	0	0	1	0	0	0	1	0	1	0	3	1	0
PAISLEY, . .	12.6	1.5	17	4	1	0	0	0	1	0	1	0	0	1	2	2	1	0
GREENOCK, .	23.3	2.5	28	7	5	0	0	0	0	0	0	3	0	4	0	2	4	0
PERTH, . . .	12.0	3.4	7	1	1	0	0	0	1	0	0	1	0	0	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 29, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.1	3.9	539	149	102	0	20	6	5	18	9	52	3	75	24	98	42	4
GLASGOW, .	20.6	4.8	268	75	41	0	12	3	2	14	2	30	1	44	7	47	24	3
EDINBURGH,	14.4	1.6	74	17	15	0	2	0	1	1	0	4	1	9	5	14	7	0
DUNDEE, . .	14.5	2.3	44	13	10	0	0	0	0	1	0	6	0	5	2	7	1	0
ABERDEEN, .	20.9	1.6	52	15	17	0	0	0	0	1	1	2	1	5	2	10	1	0
LEITH, . . .	22.7	5.9	31	10	4	0	0	2	1	1	0	4	0	6	1	4	2	0
PAISLEY, . .	20.3	6.8	27	9	6	0	0	0	0	0	5	4	0	3	1	9	1	0
GREENOCK, .	21.6	7.5	26	7	4	0	6	0	1	0	1	1	0	2	2	4	4	0
PERTH, . . .	29.2	3.4	17	3	5	0	0	1	0	0	0	1	0	1	4	3	2	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 31.

WEEK ENDING SATURDAY, AUGUST 4, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 4, 1894, was 16·3 per thousand of estimated population. This rate is 3·1 below that for the corresponding week of last year, but 1·2 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 11·1 per thousand; and the highest in Glasgow, viz., 17·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 52, being 5 above the number for the previous week.

The Mean Temperature was 60°·5, being 1°·1 above that for the week immediately preceding, and 2°·8 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 4, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Aug. 4, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	813	466	255	78·9	48·5	60·5	1·45
GLASGOW, . . .	11,861	686,820	57·906	9·82	381	232	66	78·9	49·0	62·1	1·91
EDINBURGH, . .	6,166	270,588	43·884	11·28	121	77	100	67·9	49·3	59·5	1·41
DUNDEE, . . .	4,162	158,719	38·135	12·11	94	51	24	67·1	48·7	58·7	1·32
ABERDEEN, . .	6,795	131,642	19·373	16·98	85	40	17	66·6	49·7	58·4	1·48
LEITH,	2,042	72,003	35·261	12·59	47	21	25	70·2	51·2	60·5	1·24
PAISLEY, . . .	3,538	70,363	19·888	16·76	37	15	9	76·2	50·7	61·8	1·36
GREENOCK, .	1,440	62,400	43·333	11·36	26	21	4	76·5	53·0	62·6	0·94
PERTH,	2,122	30,232	14·247	19·81	22	9	10	71·0	48·5	60·2	1·90
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	926	546	229	72·8	45·0	57·7	0·91

Week ending Saturday, AUGUST 4, 1894.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 4, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	16.3	2.3	466	96	100	0	9	2	12	15	7	20	2	52	20	94	35	1
GLASGOW, .	17.6	2.2	232	54	49	0	3	0	5	5	3	13	1	25	9	44	19	0
EDINBURGH,	14.8	1.2	77	8	18	0	0	1	2	2	1	0	1	8	6	23	11	0
DUNDEE, . .	16.7	3.6	51	10	11	0	4	0	1	3	0	3	0	6	1	10	1	0
ABERDEEN, .	15.8	2.0	40	11	7	0	1	1	1	1	0	1	0	6	1	7	2	1
LEITH, . . .	15.2	4.3	21	5	4	0	0	0	2	1	1	2	0	2	0	2	1	0
PAISLEY, . .	11.1	1.5	15	2	5	0	0	0	0	0	2	0	0	3	0	2	0	0
GREENOCK, .	17.5	3.3	21	5	3	0	0	0	1	2	0	1	0	2	1	4	1	0
PERTH, . . .	15.5	3.4	9	1	3	0	1	0	0	1	0	0	0	0	2	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 5, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.4	2.8	546	138	102	0	12	8	5	20	7	28	4	76	24	98	58	0
GLASGOW, .	19.4	3.3	253	60	38	0	8	4	2	13	2	14	2	34	10	49	26	0
EDINBURGH,	19.4	2.3	100	22	21	0	3	2	1	2	0	4	1	8	4	24	17	0
DUNDEE, . .	20.2	3.3	61	18	13	0	0	0	0	3	1	6	0	9	5	6	3	0
ABERDEEN, .	17.7	0.8	44	13	17	0	0	0	0	0	0	2	0	11	2	7	3	0
LEITH, . . .	16.8	3.7	23	8	3	0	0	1	2	2	0	0	0	3	0	3	2	0
PAISLEY, . .	24.1	3.0	32	7	3	0	0	0	0	0	4	0	1	6	2	5	4	0
GREENOCK, .	19.9	2.5	24	6	6	0	1	0	0	0	0	2	0	2	0	2	3	0
PERTH, . . .	15.4	1.7	9	4	1	0	0	1	0	0	0	0	0	3	1	2	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 11, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 11, 1894, was 15·6 per thousand of estimated population. This rate is 4·1 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 7·9 per thousand; and the highest in Greenock, viz., 21·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 53, being 1 above the number for the previous week.

The Mean Temperature was 58°·1, being 2°·4 below that for the week immediately preceding, and 3°·8 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 11, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Aug. 11, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	841	444	161	71·7	45·0	58·1	0·73
GLASGOW, . . .	11,861	686,820	57·906	9·82	427	193	81	68·9	50·0	57·7	0·47
EDINBURGH, . .	6,166	270,588	43·884	11·28	127	93	29	68·1	48·7	58·7	0·46
DUNDEE, . . .	4,162	158,719	38·135	12·11	106	50	20	67·3	48·1	56·9	1·16
ABERDEEN, . .	6,795	131,642	19·373	16·98	65	43	17	66·4	47·7	57·9	1·13
LEITH,	2,042	72,003	35·261	12·59	21	11	4	70·2	51·4	59·9	0·41
PAISLEY, . . .	3,538	70,363	19·888	16·76	30	16	8	71·7	49·2	58·2	0·57
GREENOCK, .	1,440	62,400	43·333	11·36	49	26	2	67·0	50·0	57·5	0·61
PERTH,	2,122	30,232	14·247	19·81	16	12	0	68·5	45·0	58·1	1·01
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	848	554	196	83·9	41·0	61·9	0·86

Week ending Saturday, AUGUST 11, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 11, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	15.6	2.5	144	108	97	2	10	4	3	8	4	39	3	53	26	90	35	3	
GLASGOW, .	14.6	2.9	193	51	41	0	3	0	1	5	1	28	0	18	9	33	15	3	
EDINBURGH,	17.9	1.7	93	18	28	0	0	3	0	1	2	3	0	15	5	28	10	0	
DUNDEE, . .	16.4	2.3	50	9	6	0	4	0	0	1	1	1	0	8	2	8	3	0	
ABERDEEN, .	17.0	2.4	43	9	7	0	2	1	1	0	0	2	2	7	3	11	2	0	
LEITH, . . .	7.9	2.9	11	1	3	1	0	0	0	1	0	2	0	0	0	3	0	0	
PAISLEY, . .	11.8	1.5	16	4	3	0	0	0	1	0	0	1	1	2	1	2	2	0	
GREENOCK, .	21.7	2.5	26	11	5	*1	1	0	0	0	0	1	0	2	4	4	3	0	
PERTH, . . .	20.7	1.7	12	5	4	0	0	0	0	0	0	1	0	1	2	1	0	0	

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 12, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19.7	4.0	554	155	111	0	13	10	9	32	10	40	8	73	22	96	40	3	
GLASGOW, .	21.2	4.3	276	80	44	0	9	8	6	13	1	19	4	36	14	49	26	3	
EDINBURGH,	16.5	3.3	85	24	22	0	0	2	2	7	0	6	3	8	4	19	6	0	
DUNDEE, . .	22.8	4.0	69	22	15	0	0	0	0	7	1	4	0	14	1	10	5	0	
ABERDEEN, .	14.9	1.2	37	5	15	0	0	0	1	0	0	2	0	6	1	5	0	0	
LEITH, . . .	15.4	5.1	21	8	2	0	0	0	0	3	2	2	0	4	1	3	1	0	
PAISLEY, . .	26.3	7.5	35	9	4	0	0	0	0	1	6	3	0	4	0	4	0	0	
GREENOCK, .	16.6	6.6	20	4	3	0	4	0	0	1	0	3	1	1	1	3	2	0	
PERTH, . . .	18.9	1.7	11	3	6	0	0	0	0	0	0	1	0	0	0	3	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 18, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 18, 1894, was 14·6 per thousand of estimated population. This rate is 3·9 below that for the corresponding week of last year, and 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 8·6 per thousand; and the highest in Dundee, viz., 17·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·7 per thousand, being 0·8 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 49, or 4 less than the number for last week.

The Mean Temperature was 56°·5, being 1°·6 below that for the week immediately preceding, and 9°·8 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 18, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Aug. 18, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	861	415	194	68·7	42·5	56·5	2·05
GLASGOW, . .	11,861	686,820	57·906	9·82	422	195	74	65·0	47·0	57·3	1·94
EDINBURGH, . .	6,166	270,588	43·884	11·28	106	63	29	65·9	44·4	56·7	1·54
DUNDEE, . . .	4,162	158,719	38·135	12·11	92	53	11	65·0	43·4	55·3	2·08
ABERDEEN, . .	6,795	131,642	19·373	16·98	85	38	21	68·7	43·8	56·0	1·24
LEITH,	2,042	72,003	35·261	12·59	43	21	10	67·2	46·1	57·2	1·50
PAISLEY, . . .	3,538	70,363	19·888	16·76	58	21	40
GREENOCK, .	1,440	62,400	43·333	11·36	43	19	7	63·5	47·2	56·4	3·00
PERTH,	2,122	30,232	14·247	19·81	12	5	2	66·5	42·5	56·8	3·06
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	892	521	204	84·0	48·1	66·3	0·32

Week ending Saturday, AUGUST 18, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 18, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·6	1·7	415	104	83	1	4	3	7	10	3	20	5	49	24	92	37	1
GLASGOW, . .	14·8	2·0	195	50	32	0	0	2	4	4	2	14	2	19	10	41	19	0
EDINBURGH,	12·1	1·5	63	10	21	0	1	1	1	2	1	2	0	11	4	21	10	0
DUNDEE, . .	17·4	2·0	53	10	8	0	3	0	2	0	0	1	0	12	3	16	4	0
ABERDEEN, .	15·0	0·8	38	11	11	0	0	0	0	2	0	0	1	1	2	4	0	0
LEITH, . . .	15·2	0·7	21	11	3	0	0	0	0	1	0	0	0	3	1	1	1	1
PAISLEY, . .	15·5	0·7	21	6	4	0	0	0	0	0	0	1	2	2	2	4	3	0
GREENOCK, .	15·8	3·3	19	6	3	1	0	0	0	1	0	2	0	0	2	3	0	0
PERTH, . . .	8·6	0·0	5	0	1	0	0	0	0	0	0	0	0	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 19, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·5	3·9	521	153	93	0	15	7	7	23	4	54	5	84	16	79	39	3
GLASGOW, .	17·0	3·5	222	71	26	0	5	3	2	14	2	20	2	37	7	35	18	2
EDINBURGH,	15·5	3·9	80	24	13	0	1	3	2	2	0	12	0	13	5	17	9	0
DUNDEE, . .	24·5	6·0	74	25	15	0	2	0	1	6	0	9	0	13	1	10	5	0
ABERDEEN, .	20·5	0·8	51	12	15	0	0	0	0	0	0	2	0	12	2	7	2	0
LEITH, . . .	21·2	3·7	29	5	8	0	1	1	1	1	0	1	0	2	1	3	1	0
PAISLEY, . .	22·6	4·5	30	7	7	0	0	0	1	0	2	3	2	5	0	3	1	0
GREENOCK, .	20·7	10·0	25	7	4	0	6	0	0	0	0	6	1	0	0	2	3	1
PERTH, . . .	17·2	1·7	10	2	5	0	0	0	0	0	0	1	0	2	0	2	0	0

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 34.

WEEK ENDING SATURDAY, AUGUST 25, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 25, 1894, was 14.9 per thousand of estimated population. This rate is 5.4 below that for the corresponding week of last year, but 0.3 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 6·9 per thousand; and the highest in Glasgow, viz., 16·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·6 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 49, or the same as the number for last week.

The Mean Temperature was $54^{\circ}7$, being $1^{\circ}8$ below that for the week immediately preceding, and $4^{\circ}0$ below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 25, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Aug. 25, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·09	833	425	135	68·4	40·1	54·7	0·28
GLASGOW, . .	11,861	686,820	57·906	9·82	404	215	59	68·4	40·1	54·6	0·36
EDINBURGH, . .	6,166	270,588	43·884	11·28	124	74	29	65·8	44·6	54·8	0·10
DUNDEE, . . .	4,162	158,719	38·135	12·11	85	44	7	67·8	43·2	55·6	0·12
ABERDEEN, . .	6,795	131,642	19·373	16·98	88	33	19	63·8	42·2	53·4	0·77
LEITH,	2,042	72,003	35·261	12·59	40	18	5	66·0	45·9	55·2	0·27
PAISLEY, . . .	3,538	70,363	19·888	16·76	39	18	1	66·4	41·2	54·3	0·09
GREENOCK, .	1,440	62,400	43·333	11·26	37	19	10	65·0	45·0	54·7	0·40
PERTH,	2,122	30,232	14·247	19·81	16	4	5	66·0	42·0	54·9	0·15
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	851	571	180	72·0	40·7	58·7	1·22

Week ending Saturday, AUGUST 25, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 25, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14.9	2.3	425	96	99	0	3	6	14	7	5	31	2	49	9	87	27	3
GLASGOW, .	16.3	2.9	215	48	45	0	2	4	5	5	4	18	0	21	5	42	16	2
EDINBURGH,	14.2	1.7	74	13	20	0	0	0	4	1	0	4	1	9	3	22	8	0
DUNDEE, . .	14.4	2.3	44	10	12	0	1	0	2	0	0	4	0	6	0	9	2	1
ABERDEEN, .	13.0	2.4	33	9	6	0	0	1	3	0	0	2	0	5	0	4	0	0
LEITH, . . .	13.0	0.7	18	7	5	0	0	0	0	0	0	1	1	1	0	3	0	0
PAISLEY, . .	13.3	3.0	18	5	5	0	0	1	0	1	1	1	0	2	1	4	1	0
GREENOCK, .	15.8	0.0	19	3	5	0	0	0	0	0	0	0	0	4	0	2	0	0
PERTH, . . .	6.9	1.7	4	1	1	0	0	0	0	0	0	1	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 26, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20.3	5.6	571	156	94	0	7	8	6	32	10	95	4	62	18	85	36	3
GLASGOW, .	20.3	5.3	265	62	41	0	1	6	2	19	4	37	3	28	8	40	19	3
EDINBURGH,	18.8	3.9	97	29	10	0	0	2	1	3	1	13	0	12	5	20	13	0
DUNDEE, . .	27.4	12.9	83	26	17	0	1	0	2	8	1	27	0	5	2	10	1	0
ABERDEEN, .	15.7	2.0	39	13	14	0	0	0	1	0	0	4	0	9	1	4	0	0
LEITH, . . .	18.3	5.9	25	10	2	0	0	0	0	1	0	7	0	4	0	4	1	0
PAISLEY, . .	19.6	3.8	26	4	5	0	1	0	0	0	3	1	0	1	2	1	2	0
GREENOCK, .	18.2	7.5	22	8	2	0	4	0	0	1	1	3	1	1	0	1	0	0
PERTH, . . .	24.0	5.1	14	4	3	0	0	0	0	0	0	3	0	2	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, SEPTEMBER 1, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 1, 1894, was 15·6 per thousand of estimated population. This rate is 5·1 below that for the corresponding week of last year, but 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 10·0 per thousand; and the highest in Perth, viz., 20·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·8 per thousand, being 0·5 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 46, or 3 less than the number for last week.

The Mean Temperature was 55°·6, being 0°·9 above that for the week immediately preceding, but 2°·3 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 1, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Sept. 1, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	850	445	184	68·9	41·0	55·6	0·32
GLASGOW, . .	11,861	686,820	57·906	9·82	404	218	94	65·3	41·0	59·2	0·35
EDINBURGH, . .	6,166	270,588	43·884	11·28	130	72	38	65·4	45·1	55·4	0·48
DUNDEE, . . .	4,162	158,719	38·135	12·11	90	44	13	68·9	44·7	55·5	0·26
ABERDEEN, . .	6,795	131,642	19·373	16·98	100	40	17	67·2	45·7	54·3	0·07
LEITH,	2,042	72,003	35·261	12·59	32	20	7	66·1	45·4	56·2	0·46
PAISLEY, . . .	3,538	70,363	19·888	16·76	36	27	0	65·5	44·9	55·3	0·40
GREENOCK, .	1,440	62,400	43·333	11·36	38	12	9	63·5	43·5	54·2	0·11
PERTH,	2,122	30,232	14·247	19·81	20	12	6	68·0	43·8	55·1	0·42
Corresponding Week of 1893.—Eight Towns.	40,340	1,465,536	36·330	12·40	904	584	181	74·2	37·8	57·9	0·36

Week ending Saturday, SEPTEMBER 1, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 1, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	15·6	1·8	445	88	100	0	6	1	11	7	8	17	7	46	13	90	32	1		
GLASGOW, .	16·5	2·0	218	48	36	0	2	1	5	6	5	8	1	25	6	44	20	0		
EDINBURGH,	13·8	1·5	72	11	20	0	0	0	4	0	1	3	1	5	1	20	6	0		
DUNDEE, . .	14·4	2·0	44	9	10	0	1	0	1	1	0	3	1	5	4	7	0	0		
ABERDEEN, .	15·8	1·2	40	6	12	0	2	0	0	0	0	1	1	4	1	6	1	0		
LEITH, . . .	14·4	1·4	20	4	6	0	0	0	1	0	1	0	1	4	0	2	1	1		
PAISLEY, . .	20·0	0·6	27	5	9	0	0	0	0	0	1	0	0	2	0	6	3	0		
GREENOCK, .	10·0	0·0	12	2	2	0	0	0	0	0	0	0	2	0	1	2	1	0		
PERTH, . . .	20·7	5·2	12	3	5	0	1	0	0	0	0	2	0	1	0	3	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 2, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·7	4·2	584	197	99	*1	5	5	9	21	9	67	5	67	23	98	56	1	
GLASGOW, .	21·5	4·1	280	91	39	0	2	4	5	8	4	30	2	30	11	56	33	1	
EDINBURGH,	20·4	4·5	105	34	18	0	1	0	0	6	1	15	0	11	5	20	15	0	
DUNDEE, . .	22·5	5·6	68	36	9	0	1	0	0	4	0	12	2	11	2	6	3	0	
ABERDEEN, .	19·3	1·6	48	13	13	0	0	0	2	0	0	2	0	5	1	4	1	0	
LEITH, . . .	17·6	6·6	24	9	3	*1	0	0	1	2	2	3	0	1	2	3	1	0	
PAISLEY, . .	18·8	2·3	25	4	6	0	0	0	1	0	1	1	1	5	0	2	1	0	
GREENOCK, .	15·8	3·3	19	7	6	0	1	0	0	1	0	2	0	3	1	0	1	0	
PERTH, . . .	25·7	6·9	15	3	5	0	0	1	0	0	1	2	0	1	1	7	1	0	

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 8, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 8, 1894, was 15·6 per thousand of estimated population. This rate is 5·2 below that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 8·7 per thousand; and the highest in Greenock, viz., 25·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·4 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 49, or 3 above the number for last week.

The Mean Temperature was 51°·8, being 3°·8 below that for the week immediately preceding, and 5°·9 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 8, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Sept. 8, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	838	445	252	65·0	36·0	51·8	0·15
GLASGOW, . . .	11,861	686,820	57·906	9·82	393	198	108	63·4	37·5	51·9	0·07
EDINBURGH, . .	6,166	270,588	43·884	11·28	131	92	56	60·8	41·0	51·2	0·22
DUNDEE, . . .	4,162	158,719	38·135	12·11	110	32	23	61·8	38·7	50·7	0·10
ABERDEEN, . .	6,795	131,642	19·373	16·96	72	49	23	59·2	42·2	50·8	0·36
LEITH,	2,042	72,003	35·261	12·59	42	12	14	62·2	44·1	53·1	0·15
PAISLEY, . . .	3,538	70,363	19·888	16·76	31	20	10	65·0	39·4	53·7	0·23
GREENOCK, . .	1,440	62,400	43·333	11·36	47	30	13	61·0	40·0	51·9	0·05
PERTH,	2,122	30,232	14·247	19·81	12	12	5	61·0	36·0	51·0	0·02
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,556	36·330	12·40	911	585	193	74·6	40·6	57·7	0·25

Week ending Saturday, SEPTEMBER 8, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 8, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15·6	2·2	445	93	118	0	4	7	11	11	9	22	3	49	16	100	39	1
GLASGOW, .	15·0	2·3	198	35	49	0	1	7	4	5	5	9	0	24	9	59	22	1
EDINBURGH,	17·7	2·3	92	22	27	0	1	0	3	1	1	6	3	8	2	17	8	0
DUNDEE, . .	10·5	2·3	32	9	7	0	1	0	1	1	2	2	0	4	0	4	0	0
ABERDEEN, .	19·4	2·0	49	13	12	0	1	0	2	2	0	0	0	6	3	11	4	0
LEITH, . . .	8·7	0·0	12	3	6	0	0	0	0	0	0	0	0	3	1	0	1	0
PAISLEY, . .	14·8	3·7	20	3	5	0	0	0	1	0	1	3	0	2	0	2	1	0
GREENOCK, .	25·0	3·3	30	6	7	0	0	0	0	2	0	2	0	1	0	5	2	0
PERTH, . . .	20·7	0·0	12	2	5	0	0	0	0	0	0	0	0	1	1	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 9, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·8	4·8	585	189	110	0	3	7	9	20	16	81	2	58	14	88	57	3
GLASGOW, .	21·7	4·4	283	80	47	0	2	4	3	14	9	26	1	39	9	46	35	3
EDINBURGH,	18·5	3·9	95	33	24	0	1	1	0	1	0	17	0	6	2	20	11	0
DUNDEE, . .	26·4	10·6	80	39	12	0	0	0	3	5	1	23	0	5	2	12	5	0
ABERDEEN, .	14·5	2·0	36	11	12	0	0	0	0	0	0	5	1	2	0	3	1	0
LEITH, . . .	19·0	4·4	26	4	4	0	0	2	1	0	0	3	0	1	1	1	2	0
PAISLEY, . .	23·3	8·3	31	9	4	0	0	0	2	0	6	3	0	0	0	3	2	0
GREENOCK, .	22·4	2·5	27	13	5	0	0	0	0	0	0	3	0	5	0	2	1	0
PERTH, . . .	12·0	1·7	7	0	2	0	0	0	0	0	0	1	0	0	0	1	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 15, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 15, 1894, was 15·5 per thousand of estimated population. This rate is 3·2 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·8 per thousand; and the highest in Greenock, viz., 24·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being the same as for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 63, or 14 above the number for last week.

The Mean Temperature was 54°·8, being 3°·0 above that for the week immediately preceding, and 0°·2 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 15, 1894; in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Sept. 15, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	815	442	187	69·7	35·4	54·8	0·00
GLASGOW, . . .	11,861	686,820	57·906	9·82	404	204	104	68·0	35·4	53·8	0·02
EDINBURGH, . .	6,166	270,588	43·884	11·28	120	89	31	65·9	41·2	55·0	0·00
DUNDEE, . . .	4,162	158,719	38·135	12·11	85	43	8	69·7	38·4	55·3	0·00
ABERDEEN, . .	6,795	131,612	19·373	16·98	69	35	15	69·3	37·4	54·4	0·01
LEITH,	2,042	72,003	35·261	12·59	47	15	8	67·1	42·9	55·8	0·00
PAISLEY, . . .	3,538	70,363	19·888	16·76	45	19	5	68·3	38·1	55·2	0·00
GREENOCK, . .	1,440	62,400	43·333	11·36	38	29	10	65·2	42·0	54·6	0·00
PERTH,	2,122	30,232	14·247	19·81	7	8	6	66·5	47·5	54·3	0·00
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	837	528	197	71·2	32·9	54·6	0·21

Week ending Saturday, SEPTEMBER 15, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 15, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15.5	2.2	442	88	98	2	2	11	10	5	5	28	4	63	16	96	21	0
GLASGOW, .	15.4	2.3	204	35	39	0	1	6	4	2	3	15	0	32	7	46	6	0
EDINBURGH,	17.1	3.0	89	21	17	2	0	3	2	2	1	5	3	13	2	28	9	0
DUNDEE, . .	14.1	1.0	43	16	9	0	0	0	0	0	0	3	0	7	0	4	3	0
ABERDEEN, .	13.8	1.6	35	6	13	0	1	0	1	0	1	1	0	4	0	6	2	0
LEITH, . . .	10.8	0.7	15	4	2	0	0	0	1	0	0	0	0	2	1	2	0	0
PAISLEY, . .	14.0	3.0	19	1	9	0	0	1	1	0	0	2	0	1	2	3	0	0
GREENOCK, .	24.2	4.2	29	5	5	0	0	1	1	1	0	2	0	3	4	4	1	0
PERTH, . . .	13.8	0.0	8	0	4	0	0	0	0	0	0	0	1	1	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 16, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18.7	4.5	528	161	98	0	4	6	13	19	14	72	3	64	19	93	40	1
GLASGOW, .	18.3	4.4	238	72	29	0	4	5	7	8	8	26	2	37	8	37	22	1
EDINBURGH,	17.3	3.7	89	27	21	0	0	1	0	3	0	15	0	7	6	18	10	0
DUNDEE, . .	21.5	6.9	65	25	14	0	0	0	0	4	3	14	0	7	3	13	2	0
ABERDEEN, .	19.7	4.0	49	15	18	0	0	0	1	1	0	8	0	4	0	15	1	0
LEITH, . . .	18.3	5.1	25	9	5	0	0	0	2	2	0	3	0	2	1	1	1	0
PAISLEY, . .	21.8	6.0	29	7	4	0	0	0	2	1	1	4	0	2	0	5	2	0
GREENOCK, .	16.6	3.3	20	4	4	0	0	0	0	0	2	2	0	5	0	2	1	0
PERTH, . . .	22.3	1.7	13	2	3	0	0	0	1	0	0	0	1	0	1	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 22, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 22, 1894, was 14·9 per thousand of estimated population. This rate is 2·4 below that for the corresponding week of last year, and 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 9·5 per thousand ; and the highest in Paisley, viz., 20·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being 0·3 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 65, being 2 above the number for last week.

The Mean Temperature was 53°·3, being 1°·5 below that for the week immediately preceding, but 3°·2 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 22, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Sept. 22, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	840	426	188	71·4	41·3	53·3	0·04
GLASGOW, . . .	11,861	686,820	57·906	9·82	421	207	87	71·4	41·3	54·0	0·02
EDINBURGH, . .	6,166	270,588	43·884	11·28	121	68	41	61·1	46·3	52·5	0·08
DUNDEE, . . .	4,162	158,719	38·135	12·11	79	39	12	66·2	43·2	53·4	0·02
ABERDEEN, . .	6,795	131,642	19·373	16·98	90	24	22	60·2	44·8	52·8	0·03
LEITH,	2,042	72,003	35·261	12·59	39	27	9	65·8	45·9	53·6	0·07
PAISLEY, . . .	3,538	70,363	19·888	16·76	46	28	6
GREENOCK, . .	1,440	62,400	43·333	11·36	37	23	6
PERTH,	2,122	30,232	14·247	19·81	7	10	5	65·5	42·0	53·2	0·00
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	851	488	179	66·4	32·4	50·1	0·69

Week ending Saturday, SEPTEMBER 22, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 22, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	14.9	1.9	426	91	104	0	2	4	12	10	6	19	9	65	15	80	35	2	
GLASGOW, .	15.7	2.4	207	45	45	0	2	3	9	7	3	8	2	37	2	45	11	1	
EDINBURGH,	13.1	0.8	68	14	17	0	0	0	2	0	1	1	6	7	2	13	13	0	
DUNDEE, . .	12.8	1.0	39	11	9	0	0	0	0	1	0	2	1	7	2	4	2	1	
ABERDEEN, .	9.5	0.8	24	4	8	0	0	0	0	0	0	2	0	3	3	6	1	0	
LEITH, . . .	19.5	2.9	27	5	7	0	0	0	1	0	1	2	0	4	4	4	3	0	
PAISLEY, . .	20.7	2.2	28	7	8	0	0	1	0	0	0	2	0	4	1	1	4	0	
GREENOCK, .	19.2	3.3	23	4	6	0	0	0	0	2	1	1	0	3	1	3	1	0	
PERTH, . . .	17.2	1.7	10	1	4	0	0	0	0	0	0	1	0	0	0	4	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 23, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	17.3	3.7	488	120	87	0	0	5	14	25	6	53	13	61	14	91	24	1	
GLASGOW, .	17.8	4.1	232	57	38	0	0	4	7	15	3	25	2	33	4	50	14	1	
EDINBURGH,	17.7	4.1	91	18	16	0	0	1	2	4	2	12	4	7	5	22	8	0	
DUNDEE, . .	16.2	3.3	49	16	7	0	0	0	0	2	1	7	2	9	1	5	1	0	
ABERDEEN, .	18.1	1.6	45	11	10	0	0	0	0	0	0	4	4	4	2	3	0	0	
LEITH, . . .	18.3	2.2	25	9	4	0	0	0	1	1	0	1	0	2	0	4	1	0	
PAISLEY, . .	18.1	3.8	24	5	8	0	0	0	1	3	0	1	1	2	1	5	0	0	
GREENOCK, .	12.4	3.3	15	2	3	0	0	0	3	0	0	1	0	3	1	2	0	0	
PERTH, . . .	12.0	3.4	7	2	1	0	0	0	0	0	0	2	0	1	0	0	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 29, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 29, 1894, was 15·1 per thousand of estimated population. This rate is 4·5 below that for the corresponding week of last year, but 0·2 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 10·7 per thousand; and the highest in Glasgow, viz., 17·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 63, being 2 below the number for the previous week.

The Mean Temperature was 50°·3, being 3°·0 below that for the week immediately preceding, but 1°·5 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 29, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Sept. 29, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	791	432	195	63·8	30·8	50·3	0·12
GLASGOW, . . .	11,861	686,820	57·906	9·82	382	237	99	63·8	30·8	49·6	0·02
EDINBURGH, . .	6,166	270,588	43·884	11·28	126	60	37	60·2	37·2	50·1	0·13
DUNDEE, . . .	4,162	158,719	38·135	12·11	84	44	14	61·8	36·4	50·0	0·07
ABERDEEN, . .	6,795	131,642	19·373	16·98	72	27	22	58·0	40·1	49·3	0·20
LEITH,	2,042	72,003	35·261	12·59	47	18	4	60·2	39·9	51·4	0·28
PAISLEY, . . .	3,538	70,363	19·888	16·76	32	21	5	59·8	35·1	49·8	0·01
GREENOCK, . .	1,440	62,400	43·333	11·36	33	16	14	58·5	38·2	50·0	0·09
PERTH,	2,122	30,232	14·247	19·81	15	9	0	61·0	34·0	52·0	0·19
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	807	552	195	64·1	33·0	48·8	1·21

Week ending Saturday, SEPTEMBER 29, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 29, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15.1	2.0	432	78	82	0	3	7	16	14	4	12	5	63	14	105	31	4
GLASGOW, .	17.9	2.4	237	39	41	0	1	2	12	9	1	7	3	41	7	56	16	4
EDINBURGH,	11.5	1.0	60	10	15	0	0	2	1	0	1	1	0	9	3	19	8	0
DUNDEE, . .	14.4	2.3	44	8	7	0	1	0	1	2	1	2	0	4	2	3	1	0
ABERDEEN, .	10.7	1.2	27	5	5	0	1	0	1	1	0	0	1	1	1	11	0	0
LEITH, . . .	13.0	2.2	18	5	2	0	0	0	0	1	1	1	1	3	0	3	4	0
PAISLEY, . .	15.5	3.0	21	6	5	0	0	1	1	1	0	1	0	4	0	5	0	0
GREENOCK, .	13.3	1.7	16	3	4	0	0	2	0	0	0	0	0	1	0	6	1	0
PERTH, . . .	15.5	0.0	9	2	3	0	0	0	0	0	0	0	0	0	1	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 30, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.6	3.8	552	132	100	0	2	8	19	29	13	36	10	78	21	100	45	1
GLASGOW, .	20.3	3.5	264	55	50	0	2	6	6	11	5	16	5	36	11	57	22	1
EDINBURGH,	21.0	3.3	108	22	22	0	0	0	4	11	0	2	3	17	6	17	17	0
DUNDEE, . .	19.5	5.6	59	24	8	0	0	0	2	5	1	9	1	9	1	8	1	0
ABERDEEN, .	17.3	2.8	43	13	4	0	0	1	3	0	2	1	0	7	0	8	0	0
LEITH, . . .	11.7	2.9	16	7	2	0	0	0	1	0	0	3	0	3	0	1	0	0
PAISLEY, . .	18.8	5.3	25	3	6	0	0	0	1	1	4	1	0	3	0	4	2	0
GREENOCK, .	20.7	5.8	25	6	6	0	0	0	2	1	1	3	1	2	1	3	3	0
PERTH, . . .	20.6	3.4	12	2	2	0	0	1	0	0	0	1	0	1	2	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 40.

WEEK ENDING SATURDAY, OCTOBER 6, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 6, 1894, was 15·9 per thousand of estimated population. This rate is 3·6 below that for the corresponding week of last year, but 0·8 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 13·8 per thousand; and the highest in Perth, viz., 25·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·8 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 50, being 13 below the number for the previous week.

The Mean Temperature was 49°·1, being 1°·2 below that for the week immediately preceding, but 0°·5 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 6, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Oct. 6, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	908	454	210	64·1	32·2	49·1	0·13
GLASGOW, . . .	11,861	686,820	57·906	9·82	459	204	99	59·9	33·0	48·6	0·02
EDINBURGH, . .	6,166	270,588	43·884	11·28	139	91	45	59·9	39·3	49·4	0·25
DUNDEE, . . .	4,162	158,719	38·135	12·11	87	44	13	60·6	36·8	49·7	0·16
ABERDEEN, . .	6,795	131,642	19·373	16·98	87	35	25	64·1	37·2	49·5	0·17
LEITH,	2,042	72,003	35·261	12·59	39	20	11	58·5	39·1	50·1	0·10
PAISLEY, . . .	3,538	70,363	19·888	16·76	38	24	5	58·9	33·0	48·3	0·03
GREENOCK, . .	1,440	62,400	43·333	11·36	41	21	6	60·2	38·5	49·3	0·00
PERTH,	2,122	30,232	14·247	19·81	18	15	6	60·8	32·2	48·2	0·28
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	940	549	197	61·0	28·0	48·6	0·69

Week ending Saturday, OCTOBER 6, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 6, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	15.9	1.8	454	97	100	2	4	1	12	5	5	23	13	50	13	78	31	2	
GLASGOW, .	15.4	2.0	204	36	44	0	3	0	6	3	3	11	5	25	7	37	10	2	
EDINBURGH,	17.5	1.3	91	15	24	2	0	1	1	0	1	2	3	7	3	18	8	0	
DUNDEE, . .	14.4	1.6	44	13	5	0	1	0	1	1	0	2	0	5	1	8	6	0	
ABERDEEN, .	13.8	0.8	35	7	12	0	0	0	1	0	0	1	1	7	0	6	2	0	
LEITH, . . .	14.4	2.9	20	6	4	0	0	0	1	0	1	2	0	2	0	3	0	0	
PAISLEY, . .	17.7	2.2	24	9	6	0	0	0	0	0	0	3	0	2	2	4	1	0	
GREENOCK, .	17.5	2.5	21	10	3	0	0	0	0	1	0	2	1	1	0	0	4	0	
PERTH, . . .	25.8	3.4	15	1	2	0	0	0	2	0	0	0	3	1	0	2	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 7, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from															
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	19.5	2.9	549	121	108	0	0	5	7	27	17	26	8	97	18	90	30	1			
GLASGOW, .	19.6	2.6	255	55	48	0	0	1	4	11	7	11	2	59	10	46	17	1			
EDINBURGH,	17.5	3.1	90	20	21	0	0	0	2	8	2	4	3	10	2	16	6	0			
DUNDEE, . .	22.5	4.0	68	21	11	0	0	0	0	6	1	5	2	9	2	6	3	0			
ABERDEEN, .	20.9	2.0	52	14	15	0	0	1	1	0	0	3	0	8	0	5	2	0			
LEITH, . . .	14.7	2.9	20	1	2	0	0	2	0	0	1	1	0	2	1	5	0	0			
PAISLEY, . .	22.6	5.3	30	4	6	0	0	1	0	0	4	2	1	3	1	4	1	0			
GREENOCK, .	20.7	3.3	25	3	4	0	0	0	0	2	2	0	0	4	2	6	1	0			
PERTH, . . .	15.4	0.0	9	3	1	0	0	0	0	0	0	0	0	2	0	2	0	0			

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 13, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 13, 1894, was 17·6 per thousand of estimated population. This rate is 0·8 below that for the corresponding week of last year, but 1·7 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 8·7 per thousand; and the highest in Perth, viz., 24·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 88, being 38 above the number for the previous week.

The Mean Temperature was 52°·4, being 3°·3 above that for the week immediately preceding, and 4°·5 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 13, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Oct. 13, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	920	501	225	65·8	37·0	52·4	0·44
GLASGOW, . . .	11,861	686,820	57·906	9·82	439	270	96	65·8	38·0	54·2	0·26
EDINBURGH, . .	6,166	270,588	43·884	11·28	151	89	38	64·4	41·5	52·9	0·47
DUNDEE, . . .	4,162	158,719	38·135	12·11	95	37	51	60·9	42·3	51·2	0·25
ABERDEEN, . .	6,795	131,642	19·373	16·98	88	33	19	58·6	42·3	51·6	0·29
LEITH,	2,042	72,003	35·261	12·59	50	12	10	63·2	42·9	53·0	0·00
PAISLEY, . . .	3,538	70,363	19·888	16·76	41	26	6	65·8	39·3	53·5	0·61
GREENOCK, . .	1,440	62,400	43·333	11·36	52	20	4	60·0	43·0	52·3	0·74
PERTH,	2,122	30,232	14·247	19·81	4	14	1	63·5	37·0	50·8	0·19
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	850	518	190	61·3	31·5	47·9	1·26

Week ending Saturday, OCTOBER 13, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 13, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·6	2·1	501	120	123	0	4	10	10	5	8	22	6	88	20	88	39	0
GLASGOW, .	20·4	2·7	270	64	58	0	4	7	6	4	5	10	3	46	10	54	13	0
EDINBURGH,	17·1	2·1	89	24	18	0	0	3	2	1	0	5	2	15	3	15	19	0
DUNDEE, . .	12·1	0·7	37	9	10	0	0	0	0	0	0	2	0	7	1	5	1	0
ABERDEEN, .	13·0	0·0	33	7	12	0	0	0	0	0	0	0	1	7	0	2	3	0
LEITH, . . .	8·7	0·0	12	5	2	0	0	0	0	0	0	0	0	4	0	1	0	0
PAISLEY, . .	19·2	2·2	26	4	10	0	0	0	0	0	1	2	0	5	0	6	0	0
GREENOCK, .	16·7	2·5	20	5	8	0	0	0	1	0	1	1	0	3	2	2	2	0
PERTH, . . .	24·1	6·9	14	2	5	0	0	0	1	0	1	2	0	1	4	3	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 14, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·4	2·3	518	118	120	0	1	11	12	11	11	18	8	87	20	94	43	5
GLASGOW, .	19·3	2·9	252	50	56	0	1	8	8	8	5	8	1	51	12	53	17	4
EDINBURGH,	18·5	0·8	95	19	26	0	0	1	0	1	1	1	2	12	3	19	18	0
DUNDEE, . .	17·9	2·0	54	17	9	0	0	0	1	1	3	1	3	12	0	7	2	0
ABERDEEN, .	20·1	2·0	50	12	18	0	0	0	1	0	0	4	0	5	4	5	1	1
LEITH, . . .	12·5	1·5	17	7	4	0	0	0	1	0	0	1	1	3	1	3	1	0
PAISLEY, . .	17·3	5·3	23	10	2	0	0	2	1	0	2	2	0	2	0	4	4	0
GREENOCK, .	16·6	1·7	20	3	4	0	0	0	0	1	0	1	1	1	0	1	0	0
PERTH, . . .	12·0	0·0	7	0	1	0	0	0	0	0	0	0	0	1	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 42. WEEK ENDING SATURDAY, OCTOBER 20, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 20, 1894, was 17·5 per thousand of estimated population. This rate is 1·1 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·0 per thousand; and the highest in Paisley, viz., 22·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·5 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 88, being the same number as for the previous week.

The Mean Temperature was 42°·7, being 9°·7 below that for the week immediately preceding, and 10°·9 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 20, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Oct. 20, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	932	498	173	62·5	22·0	42·7	0·13
GLASGOW, . . .	11,861	686,820	57·906	9·82	471	243	65	52·8	25·7	41·4	0·10
EDINBURGH, . .	6,166	270,588	43·884	11·28	147	102	43	51·9	28·3	42·9	0·75
DUNDEE, . . .	4,162	158,719	38·135	12·11	93	39	28	51·2	26·4	40·9	0·45
ABERDEEN, . .	6,795	131,642	19·373	16·98	72	36	17	49·4	29·3	42·6	0·38
LEITH,	2,042	72,003	35·261	12·59	48	19	3	51·1	31·0	41·0	0·73
PAISLEY, . . .	3,538	70,363	19·888	16·76	46	31	8
GREENOCK, . .	1,440	62,400	43·333	11·36	38	21	9	60·0	30·2	41·3	0·04
PERTH,	2,122	30,232	14·247	19·81	17	7	0	62·5	22·0	42·7	0·57
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	932	525	166	65·2	35·9	53·1	0·26

Week ending Saturday, OCTOBER 20, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 20, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·5	1·5	498	124	98	1	3	6	10	5	2	17	8	88	15	104	32	2
GLASGOW, .	18·4	2·2	243	54	43	0	2	4	6	5	2	10	5	47	4	49	9	1
EDINBURGH,	19·6	0·8	102	27	26	1	0	1	1	0	0	1	0	17	3	27	10	0
DUNDEE, . .	12·8	0·0	39	19	6	0	0	0	0	0	0	0	2	8	1	7	2	0
ABERDEEN, .	14·2	1·2	36	7	10	0	1	1	0	0	0	1	1	4	1	7	2	0
LEITH, . . .	13·7	2·9	19	8	3	0	0	0	0	0	0	4	0	0	3	2	2	0
PAISLEY, . .	22·9	1·5	31	8	2	0	0	0	2	0	0	0	0	8	1	5	4	0
GREENOCK, .	17·5	0·8	21	1	7	0	0	0	1	0	0	0	0	3	2	6	2	1
PERTH, . . .	12·0	1·7	7	2	1	0	0	0	0	0	0	1	0	1	0	1	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 21, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18.6	2.3	525	108	132	0	0	11	5	14	9	25	5	101	13	80	52	2
GLASGOW, .	18.3	2.2	238	40	50	0	0	8	2	7	3	9	1	44	4	37	19	1
EDINBURGH,	19.4	2.5	100	22	26	0	0	1	1	3	2	6	0	26	1	17	22	0
DUNDEE, . .	20.5	1.7	62	21	12	0	0	0	0	3	0	2	1	12	3	7	3	0
ABERDEEN, .	17.3	2.0	43	5	17	0	0	0	1	0	1	3	3	6	0	8	0	0
LEITH, . . .	22.0	0.7	30	6	12	0	0	0	0	0	0	1	0	7	1	3	2	0
PAISLEY, . .	16.6	3.8	22	5	7	0	0	1	0	0	3	1	0	1	1	3	4	0
GREENOCK, .	16.6	4.1	20	7	5	0	0	0	1	1	0	3	0	4	3	3	2	0
PERTH, . . .	17.2	1.7	10	2	3	0	0	1	0	0	0	0	0	1	0	2	0	1

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 43. WEEK ENDING SATURDAY, OCTOBER 27, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 27, 1894, was 18·5 per thousand of estimated population. This rate is 0·3 above that for the corresponding week of last year, and 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·0 per thousand; and the highest in Greenock, viz., 23·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 105, being 17 above the number for last week.

The Mean Temperature was 42°·3, being 0°·4 below that for the week immediately preceding, and 5°·7 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 27, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Oct. 27, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	881	527	156	56·7	23·0	42·3	1·29
GLASGOW, . . .	11,861	686,820	57·906	9·82	428	245	77	56·7	24·0	42·5	1·29
EDINBURGH, . .	6,166	270,588	43·884	11·28	134	94	30	54·7	28·1	42·4	0·88
DUNDEE, . . .	4,162	158,719	38·135	12·11	86	54	11	53·8	26·9	41·6	1·33
ABERDEEN, . .	6,795	131,642	19·373	16·98	96	48	16	52·1	29·2	42·2	0·98
LEITH,	2,042	72,003	35·261	12·59	48	18	5	54·6	28·9	43·2	1·03
PAISLEY, . . .	3,538	70,363	19·888	16·76	47	29	8	55·8	26·0	43·6	1·44
GREENOCK, . .	1,440	62,400	43·333	11·36	32	28	7	54·0	31·5	42·6	1·60
PERTH,	2,122	30,232	14·247	19·81	10	11	2	55·0	23·0	40·1	1·80
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	894	513	166	61·2	35·6	48·0	1·48

Week ending Saturday, OCTOBER 27, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, October 27, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	18.5	1.9	527	120	119	0	7	12	6	8	7	15	9	105	17	80	39	4
GLASGOW, .	18.5	2.4	245	48	43	0	7	8	2	4	5	6	3	56	6	36	21	2
EDINBURGH,	18.1	1.2	94	22	26	0	0	2	1	2	0	1	1	21	2	20	8	0
DUNDEE, . .	17.7	1.3	54	11	19	0	0	1	0	1	0	2	1	11	1	9	1	1
ABERDEEN, .	19.0	1.6	48	11	14	0	0	0	1	0	0	3	2	3	4	4	2	0
LEITH, . . .	13.0	0.7	18	7	3	0	0	1	0	0	0	0	0	4	0	2	2	0
PAISLEY, . .	21.4	3.0	29	9	6	0	0	0	1	0	1	2	1	4	0	4	2	0
GREENOCK, .	23.3	1.7	28	10	4	0	0	0	0	1	1	0	1	4	3	4	2	0
PERTH, . . .	18.9	3.4	11	2	4	0	0	0	1	0	0	1	0	2	1	1	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, October 28, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	18.2	2.3	513	102	116	0	1	16	13	9	8	17	6	110	20	102	42	0
GLASGOW, .	19.9	2.5	259	57	48	0	0	8	8	5	4	8	6	58	11	59	22	0
EDINBURGH,	14.4	1.6	74	11	23	0	0	1	1	2	0	4	0	14	2	10	15	0
DUNDEE, . .	16.2	2.0	49	13	10	0	0	1	1	2	1	1	0	9	1	6	4	0
ABERDEEN, .	17.3	2.8	43	5	16	0	1	3	2	0	0	1	0	16	1	11	0	0
LEITH, . . .	24.2	2.2	33	6	10	0	0	1	1	0	0	1	0	6	2	6	1	0
PAISLEY, . .	14.3	2.3	19	6	2	0	0	1	0	0	2	0	0	0	1	1	0	0
GREENOCK, .	18.2	2.5	22	3	4	0	0	1	0	0	1	1	0	6	2	4	0	0
PERTH, . . .	24.0	1.7	14	1	3	0	0	0	0	0	0	1	0	1	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 44. WEEK ENDING SATURDAY, NOVEMBER 3, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 3, 1894, was 22·2 per thousand of estimated population. This rate is 3·5 above that for the corresponding week of last year, and 3·7 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·3 per thousand; and the highest in Greenock, viz., 30·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 137, being 32 above the number for last week.

The Mean Temperature was 47°·0, being 4°·7 above that for the week immediately preceding, and 7°·1 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 3, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Nov. 3, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	883	632	258	60·3	29·0	47·0	1·61
GLASGOW, . . .	11,861	686,820	57·906	9·82	417	292	133	59·9	30·0	48·6	1·98
EDINBURGH, . .	6,166	270,588	43·884	11·28	128	122	39	60·3	33·0	48·6	0·70
DUNDEE, . . .	4,162	158,719	38·135	12·11	101	69	15	57·5	32·2	45·6	1·58
ABERDEEN, . .	6,795	131,642	19·373	16·98	91	57	25	59·7	31·2	47·7	0·95
LEITH,	2,042	72,003	35·261	12·59	39	28	10	60·1	33·5	48·6	0·59
PAISLEY, . . .	3,538	70,363	19·888	16·76	42	22	12	58·6	35·2	44·6	2·30
GREENOCK, . .	1,440	62,400	43·333	11·36	41	36	18	57·5	36·2	47·1	2·91
PERTH,	2,122	30,232	14·247	19·81	24	6	6	59·0	29·0	44·8	1·85
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	836	528	245	57·8	28·2	39·9	1·47

Week ending Saturday, NOVEMBER 3, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 3, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	22·2	1·9	632	162	149	0	9	7	14	9	10	5	7	137	22	106	60	3	
GLASGOW, .	22·1	2·3	292	77	63	0	8	4	6	5	6	1	4	67	9	54	26	3	
EDINBURGH,	23·4	1·3	122	29	36	0	0	1	2	1	2	1	0	23	5	23	18	0	
DUNDEE, . .	22·6	1·6	69	19	13	0	1	1	1	2	0	0	1	17	2	5	5	0	
ABERDEEN, .	22·5	2·0	57	12	19	0	0	0	1	0	2	2	0	12	0	10	1	0	
LEITH, . . .	20·2	0·0	28	9	4	0	0	0	0	0	0	0	2	5	5	4	5	0	
PAISLEY, . .	16·3	0·7	22	4	4	0	0	1	0	0	0	0	0	4	0	3	2	0	
GREENOCK, .	30·0	4·2	36	11	8	0	0	0	3	1	0	1	0	7	0	6	3	0	
PERTH, . . .	10·3	1·7	6	1	2	0	0	0	1	0	0	0	0	2	1	1	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 4, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	18·7	1·9	528	117	116	1	0	5	14	13	5	15	12	91	17	94	44	3		
GLASGOW, .	18·4	1·8	240	43	48	0	0	3	6	6	2	6	3	48	10	46	14	2		
EDINBURGH,	18·3	1·2	94	20	28	0	0	0	1	3	0	2	2	16	1	17	20	0		
DUNDEE, . .	20·2	2·6	61	22	10	*1	0	1	2	0	0	4	2	7	3	8	5	0		
ABERDEEN, .	18·5	1·6	46	16	7	0	0	1	1	1	0	1	2	7	0	7	0	0		
LEITH, . . .	17·6	2·9	24	5	7	0	0	0	2	1	0	1	1	6	2	2	0	0		
PAISLEY, . .	18·1	3·0	24	5	7	0	0	0	1	0	2	1	0	3	0	3	0	0		
GREENOCK, .	20·7	3·3	25	4	5	0	0	0	1	2	1	0	2	3	1	7	3	0		
PERTH, . . .	24·0	0·0	14	2	4	0	0	0	0	0	0	0	0	1	0	4	2	1		

* Chicken-pox.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 10, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 10, 1894, was 20·3 per thousand of estimated population. This rate is the same as that for the corresponding week of last year, but 1·9 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·0 per thousand; and the highest in Greenock, viz., 25·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 1·0 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 156, being 19 above the number for last week.

The Mean Temperature was 48°·3, being 1°·3 above that for the week immediately preceding, and 9°·1 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 10, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Nov. 10, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	857	578	181	56·0	37·3	48·3	0·89
GLASGOW, . . .	11,861	686,820	57·906	9·82	429	288	103	55·1	41·1	48·4	0·87
EDINBURGH, . .	6,166	270,588	43·884	11·28	122	102	25	54·6	41·3	48·2	0·46
DUNDEE, . . .	4,162	158,719	38·135	12·11	90	52	11	54·1	37·3	46·5	0·40
ABERDEEN, . .	6,795	131,642	19·373	16·98	86	44	22	55·6	37·6	46·8	0·62
LEITH,	2,042	72,003	35·261	12·59	45	25	9	55·8	42·9	49·2	0·54
PAISLEY, . . .	3,538	70,363	19·888	16·76	34	30	5	54·0	44·9	49·9	1·16
GREENOCK, . .	1,440	62,400	43·333	11·36	39	30	3	56·0	41·2	48·8	2·53
PERTH,	2,122	30,232	14·247	19·81	12	7	3	55·0	37·5	48·4	0·57
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	867	571	190	50·6	27·5	39·2	0·11

Week ending Saturday, NOVEMBER 10, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, November 10, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·3	2·9	578	155	117	3	16	8	13	13	10	21	10	156	17	93	45	0	
GLASGOW, .	21·8	3·6	288	63	48	0	11	4	10	8	7	8	3	71	10	46	24	0	
EDINBURGH,	19·6	1·7	102	30	30	3	0	0	0	1	1	4	3	32	1	22	12	0	
DUNDEE, . .	17·0	2·9	52	14	11	0	2	3	1	0	1	2	0	14	2	5	6	0	
ABERDEEN, .	17·4	2·4	44	13	12	0	3	0	1	1	1	0	0	8	2	11	0	0	
LEITH, . . .	18·0	0·7	25	11	2	0	0	0	0	0	0	1	0	9	1	2	1	0	
PAISLEY, . .	22·2	3·0	30	14	4	0	0	1	0	0	0	3	0	13	0	3	2	0	
GREENOCK, .	25·0	3·3	30	8	7	0	0	0	0	3	0	1	3	7	1	2	0	0	
PERTH, . . .	12·0	5·2	7	2	3	0	0	0	1	0	0	2	1	2	0	2	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, November 11, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·3	2·2	571	124	128	0	1	10	11	19	7	13	5	136	25	108	46	1	
GLASGOW, .	22·8	3·3	297	74	42	0	1	6	7	16	5	8	5	68	12	54	26	1	
EDINBURGH,	20·4	1·4	105	20	32	0	0	0	3	2	0	2	0	30	5	25	11	0	
DUNDEE, . .	17·2	1·0	52	7	19	0	0	0	0	1	1	1	0	19	1	14	2	0	
ABERDEEN, .	14·9	0·8	37	5	14	0	0	2	0	0	0	0	0	7	1	4	1	0	
LEITH, . . .	16·8	0·7	23	6	9	0	0	1	0	0	0	0	0	5	1	2	1	0	
PAISLEY, . .	19·6	3·0	26	5	3	0	0	1	1	0	0	2	0	2	2	3	3	0	
GREENOCK, .	15·8	0·8	19	4	5	0	0	0	0	0	1	0	0	2	3	2	2	0	
PERTH, . . .	20·6	0·0	12	3	4	0	0	0	0	0	0	0	0	3	0	4	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 17, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 17, 1894, was 20·3 per thousand of estimated population. This rate is 4·0 below that for the corresponding week of last year, but the same as that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·0 per thousand; and the highest in Greenock, viz., 24·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·8 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 146, being 10 below the number for the previous week.

The Mean Temperature was 43°·9, being 4°·4 below that for the week immediately preceding, but 3°·5 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 17, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Nov. 17, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	974	579	165	55·0	33·8	43·9	0·74
GLASGOW, . . .	11,861	686,820	57·906	9·82	491	298	79	55·0	38·3	45·3	1·17
EDINBURGH, . .	6,166	270,588	43·884	11·28	164	101	32	53·5	36·5	44·0	0·46
DUNDEE, . . .	4,162	158,719	38·135	12·11	93	56	16	49·8	33·9	41·6	0·59
ABERDEEN, . .	6,795	131,642	19·373	16·98	86	43	15	51·6	35·2	42·2	0·32
LEITH,	2,042	72,003	35·261	12·59	43	23	8	55·0	37·7	47·0	0·41
PAISLEY, . . .	3,538	70,363	19·888	16·76	46	19	8	54·3	39·2	45·7	1·26
GREENOCK, . .	1,440	62,400	43·333	11·36	39	29	5	52·0	34·5	43·1	1·45
PERTH,	2,122	30,232	14·247	19·81	12	10	2	50·0	33·8	42·5	0·23
Corresponding Week of 1893.—Eight Towns.	40,340	1,465,536	36·330	12·40	865	684	207	54·1	26·0	40·4	0·69

Week ending Saturday, NOVEMBER 17, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 17, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20·3	2·1	579	137	120	1	12	10	12	11	3	11	9	146	10	90	37
GLASGOW, .	22·6	2·6	298	62	45	0	10	5	6	6	3	4	5	77	4	53	22
EDINBURGH,	19·4	1·7	101	19	33	1	0	3	1	2	0	2	2	19	0	21	8
DUNDEE, . .	18·3	2·3	56	18	15	0	2	1	1	0	0	3	0	18	2	3	1
ABERDEEN, .	17·0	0·8	43	16	10	0	0	0	1	0	0	1	1	14	1	3	1
LEITH, . . .	16·6	1·4	23	8	3	0	0	0	1	1	0	0	0	5	2	3	0
PAISLEY, . .	14·0	1·5	19	4	5	0	0	0	0	1	0	1	1	5	0	2	1
GREENOCK, .	24·2	2·5	29	8	8	0	0	1	1	1	0	0	0	7	0	3	4
PERTH, . . .	17·2	1·7	10	2	1	0	0	0	1	0	0	0	0	1	1	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 18, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	24·3	2·4	684	158	158	1	1	12	11	27	6	10	7	205	21	101	60
GLASGOW, .	23·6	2·5	307	72	59	0	0	7	2	19	2	3	1	98	15	45	31
EDINBURGH,	27·2	1·9	140	38	40	0	1	1	1	4	1	2	1	53	0	24	22
DUNDEE, . .	18·5	2·3	56	11	7	0	0	1	2	2	2	0	2	13	1	10	4
ABERDEEN, .	21·7	2·8	54	13	14	0	0	2	3	0	0	2	1	9	3	11	1
LEITH, . . .	26·4	2·2	36	10	8	1	0	0	1	0	0	1	0	9	0	3	0
PAISLEY, . .	28·6	3·0	38	6	13	0	0	0	1	1	1	1	0	12	0	5	1
GREENOCK, .	26·5	1·7	32	4	8	0	0	0	1	1	0	0	1	5	1	2	1
PERTH, . . .	36·0	3·4	21	4	9	0	0	1	0	0	0	1	1	6	1	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 24, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 24, 1894, was 21·3 per thousand of estimated population. This rate is 4·1 below that for the corresponding week of last year, but 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·7 per thousand ; and the highest in Greenock, viz., 24·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 137, being 9 below the number for the previous week.

The Mean Temperature was 44°·5, being 0°·6 above that for the week immediately preceding, and 6°·3 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 24, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Nov. 24, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	836	606	175	55·1	26·5	44·5	0·16
GLASGOW, . . .	11,861	686,820	57·906	9·82	389	286	91	54·3	33·7	45·0	0·42
EDINBURGH, . .	6,166	270,588	43·884	11·28	125	121	31	54·1	32·5	45·1	0·25
DUNDEE, . . .	4,162	158,719	38·135	12·11	94	67	14	52·9	29·9	42·9	0·18
ABERDEEN, . .	6,795	131,642	19·373	16·98	88	56	15	55·1	30·7	42·6	0·55
LEITH,	2,042	72,003	35·261	12·59	40	19	9	55·0	34·3	45·7	0·25
PAISLEY, . . .	3,538	70,363	19·888	16·76	48	20	6	53·5	38·2	46·2	0·56
GREENOCK, . .	1,440	62,400	43·333	11·36	38	29	5	54·0	34·0	45·2	1·31
PERTH,	2,122	30,232	14·247	19·81	14	14	1	53·8	26·5	43·6	0·10
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	874	717	197	53·1	23·6	38·2	0·29

Week ending Saturday, NOVEMBER 24, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 24, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·3	2·8	606	176	98	4	19	6	13	10	7	21	5	137	18	102	31	1
GLASGOW, .	21·2	3·6	280	85	28	0	17	3	7	8	5	7	2	66	11	56	13	1
EDINBURGH,	23·3	2·5	121	29	25	4	1	1	2	0	2	3	2	17	3	22	13	0
DUNDEE, . .	22·0	3·3	67	24	16	0	1	1	2	2	0	4	0	16	2	7	3	0
ABERDEEN, .	22·1	1·6	56	20	14	0	0	1	0	0	0	3	0	22	1	8	0	0
LEITH, . . .	13·7	1·4	19	5	4	0	0	0	1	0	0	1	0	2	0	4	1	0
PAISLEY, . .	14·8	1·5	20	6	2	0	0	0	1	0	0	1	0	4	0	0	0	0
GREENOCK, .	24·2	0·8	29	5	4	0	0	0	0	0	0	1	1	7	1	3	1	0
PERTH, . . .	24·1	1·7	14	2	5	0	0	0	0	0	0	1	0	3	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 25, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	25·4	2·0	717	163	168	0	1	10	7	25	2	11	6	238	19	97	71	1
GLASGOW, .	25·8	2·0	336	92	66	0	0	7	3	11	1	4	3	113	6	40	29	1
EDINBURGH,	28·7	2·1	148	34	37	0	0	2	2	6	0	1	1	57	3	24	35	0
DUNDEE, . .	17·5	2·0	53	8	14	0	0	0	1	4	0	1	0	13	0	6	1	0
ABERDEEN, .	20·5	1·6	51	9	13	0	1	0	1	1	0	1	1	10	4	13	3	0
LEITH, . . .	24·2	2·2	33	8	7	0	0	0	0	1	1	1	0	15	1	1	0	0
PAISLEY, . .	35·4	0·8	47	4	19	0	0	0	0	0	0	1	0	16	1	9	1	0
GREENOCK, .	24·9	0·8	30	6	7	0	0	0	0	0	0	1	1	6	3	3	2	0
PERTH, . . .	32·6	6·9	19	2	5	0	0	1	0	2	0	1	0	8	1	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 48.

WEEK ENDING SATURDAY, DECEMBER 1, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 1, 1894, was 21·4 per thousand of estimated population. This rate is 6·4 below that for the corresponding week of last year, but 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·4 per thousand; and the highest in Aberdeen, viz., 24·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 161, being 24 above the number for the previous week.

The Mean Temperature was 41°·9, being 2°·6 below that for the week immediately preceding, but 0°·9 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 1, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Dec. 1, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	915	611	253	54·5	28·0	41·9	0·02
GLASGOW, . . .	11,861	686,820	57·906	9·82	430	313	110	53·0	27·9	42·2	0·01
EDINBURGH, . .	6,166	270,588	43·884	11·28	172	94	55	51·1	30·4	42·0	0·00
DUNDEE, . . .	4,162	158,719	38·135	12·11	91	55	20	51·3	29·1	40·8	0·00
ABERDEEN, . .	6,795	131,642	19·373	16·98	76	62	29	49·2	29·8	40·0	0·01
LEITH,	2,042	72,003	35·261	12·59	55	20	8	52·0	30·9	42·7	0·00
PAISLEY, . . .	3,538	70,363	19·888	16·76	42	33	9	51·9	32·2	44·2	0·02
GREENOCK, . .	1,440	62,400	43·333	11·36	31	24	17	51·0	31·0	42·6	0·15
PERTH,	2,122	30,232	14·247	19·81	18	10	5	54·5	28·0	40·5	0·00
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	885	784	254	55·8	19·8	41·0	0·35

Week ending Saturday, DECEMBER 1, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 1, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·4	3·2	611	149	115	9	22	11	14	17	4	15	3	161	18	119	48	3
GLASGOW, .	23·7	3·8	313	76	45	0	17	6	6	11	2	8	0	86	14	64	24	3
EDINBURGH,	18·1	3·1	94	12	22	8	0	1	4	3	0	0	2	16	1	29	14	0
DUNDEE, . .	18·0	2·3	55	17	10	0	2	0	1	1	0	3	0	11	0	6	4	0
ABERDEEN, .	24·5	4·7	62	22	15	*1	2	3	1	1	2	2	0	18	2	7	2	0
LEITH, . . .	14·4	2·2	20	7	6	0	1	0	0	1	0	1	0	7	0	1	1	0
PAISLEY, . .	24·4	0·7	33	8	8	0	0	0	1	0	0	0	1	11	0	7	1	0
GREENOCK, .	20·0	2·5	24	6	6	0	0	1	1	0	0	1	0	8	1	3	2	0
PERTH, . . .	17·2	0·0	10	1	3	0	0	0	0	0	0	0	0	4	0	2	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 2, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	27·8	2·7	784	180	180	1	3	9	15	32	12	3	7	263	21	129	76	3
GLASGOW, .	27·9	3·1	364	89	74	0	1	7	6	19	6	2	3	131	12	60	33	2
EDINBURGH,	31·5	2·1	162	30	40	*1	0	0	3	4	3	0	0	51	3	30	30	0
DUNDEE, . .	25·1	4·0	76	20	15	0	0	0	4	6	1	1	0	19	1	9	5	1
ABERDEEN, .	14·9	1·6	37	7	11	0	2	0	1	0	1	0	3	7	0	9	1	0
LEITH, . . .	29·3	1·5	40	15	9	0	0	1	0	1	0	0	0	14	2	2	2	0
PAISLEY, . .	42·1	3·0	56	16	15	0	0	1	1	1	1	0	1	25	1	10	3	0
GREENOCK, .	23·2	0·0	28	2	8	0	0	0	0	0	0	0	0	11	2	5	2	0
PERTH, . . .	36·0	1·7	21	1	8	0	0	0	0	1	0	0	0	5	0	4	0	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 49.

WEEK ENDING SATURDAY, DECEMBER 8, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 8, 1894, was 22·1 per thousand of estimated population. This rate is 3·9 below that for the corresponding week of last year, but 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·8 per thousand; and the highest in Aberdeen, viz., 25·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 166, being 5 more than for the previous week.

The Mean Temperature was 38°·2, being 3°·7 below that for the week immediately preceding, and 5°·0 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 8, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Dec. 8, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	867	630	293	47·5	27·4	38·2	0·32
GLASGOW, . . .	11,861	686,820	57·906	9·82	426	316	127	46·9	29·2	38·4	0·30
EDINBURGH, . .	6,166	270,588	43·884	11·28	120	97	71	45·5	29·9	38·1	0·15
DUNDEE, . . .	4,162	158,719	38·135	12·11	91	74	20	42·8	30·2	37·3	0·35
ABERDEEN, . .	6,795	131,642	19·373	16·98	79	65	32	45·6	27·4	37·4	0·37
LEITH,	2,042	72,003	35·261	12·59	57	22	14	46·4	30·9	39·7	0·14
PAISLEY, . . .	3,538	70,363	19·888	16·76	39	20	12	46·9	29·9	39·3	0·41
GREENOCK, . .	1,440	62,400	43·333	11·36	39	26	5	47·5	31·0	38·5	0·36
PERTH,	2,122	30,232	14·247	19·81	16	10	12	45·0	29·0	37·1	0·50
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	894	732	219	53·9	24·5	43·2	1·24

Week ending Saturday, DECEMBER 8, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 8, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·1	3·0	630	164	117	7	26	12	7	15	5	13	3	166	31	106	40	5
GLASGOW, .	23·9	3·1	316	81	51	0	15	6	1	11	3	5	0	93	21	53	16	5
EDINBURGH,	18·6	2·5	97	19	21	6	0	4	2	0	0	1	1	20	1	25	16	0
DUNDEE, . .	24·2	3·3	74	22	14	0	3	0	1	1	1	4	1	17	2	8	3	0
ABERDEEN, .	25·7	4·7	65	23	10	*1	8	0	1	0	0	2	0	21	2	8	0	0
LEITH, . . .	15·9	0·0	22	8	5	0	0	0	0	0	0	0	0	5	1	1	2	0
PAISLEY, . .	14·8	2·2	20	4	5	0	0	1	1	0	0	1	0	3	2	3	3	0
GREENOCK, .	21·7	4·2	26	7	5	0	0	1	0	3	1	0	0	6	2	7	0	0
PERTH, . . .	17·2	1·7	10	0	6	0	0	0	1	0	0	0	1	1	0	1	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 9, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	26·0	2·7	732	198	156	6	3	7	13	33	7	8	7	238	17	101	78	6
GLASGOW, .	27·4	2·3	357	97	68	0	0	4	7	13	3	3	5	115	9	52	28	4
EDINBURGH,	28·6	1·6	147	35	42	0	0	0	2	6	0	0	0	56	4	23	40	1
DUNDEE, . .	21·8	4·6	66	20	9	*1	0	1	0	8	3	1	0	19	0	8	6	0
ABERDEEN, .	20·1	4·4	50	15	13	1	3	0	2	1	1	3	0	10	1	3	2	1
LEITH, . . .	19·0	5·1	26	9	3	4	0	0	2	0	0	1	0	7	0	6	1	0
PAISLEY, . .	26·3	0·8	35	11	8	0	0	0	0	1	0	0	0	14	1	4	0	0
GREENOCK, .	24·9	0·0	30	8	6	0	0	0	0	0	0	0	2	12	1	2	1	0
PERTH, . . .	36·0	10·3	21	3	7	0	0	2	0	4	0	0	0	5	1	3	0	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 15, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 15, 1894, was 22·5 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·8 per thousand; and the highest in Paisley, viz., 26·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 146, being 20 below the number for last week.

The Mean Temperature was 44°·8, being 6°·6 above that for the week immediately preceding, and 4°·6 above that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 15, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Dec. 15, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	885	643	238	56·2	27·5	44·8	0·85
GLASGOW, . . .	11,861	686,820	57·906	9·82	428	326	103	55·9	30·1	45·6	0·99
EDINBURGH, . .	6,166	270,588	43·884	11·28	128	110	50	56·2	30·2	46·0	0·71
DUNDEE, . . .	4,162	158,719	38·135	12·11	91	61	22	53·8	28·4	43·7	0·49
ABERDEEN, . .	6,795	131,642	19·373	16·98	80	63	22	56·2	30·3	43·4	0·25
LEITH,	2,042	72,003	35·261	12·59	62	15	17	56·0	31·5	46·5	0·60
PAISLEY, . . .	3,538	70,363	19·888	16·76	44	36	4	54·9	31·0	45·4	1·10
GREENOCK, . .	1,440	62,400	43·333	11·36	33	19	9	54·5	33·0	44·6	1·96
PERTH,	2,122	30,232	14·247	19·81	19	13	11	55·5	27·5	43·3	0·68
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	842	648	201	55·1	27·9	40·2	0·88

Week ending Saturday, DECEMBER 15, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 15, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·5	3·2	643	167	107	2	32	11	8	14	6	17	5	146	23	120	53	1
GLASGOW, .	24·7	3·7	326	82	41	0	21	7	1	11	1	8	3	80	8	60	32	1
EDINBURGH,	21·1	2·9	110	23	29	2	2	3	2	2	2	2	1	19	7	28	12	0
DUNDEE, . .	20·0	2·0	61	21	10	0	3	0	2	0	0	1	1	12	2	11	1	0
ABERDEEN, .	24·9	4·3	63	21	9	0	5	1	2	0	1	2	0	16	1	7	2	0
LEITH, . . .	10·8	1·4	15	3	6	0	0	0	1	0	0	1	0	4	2	1	1	0
PAISLEY, . .	26·6	3·0	36	9	8	0	1	0	0	0	2	1	0	8	1	9	1	0
GREENOCK, .	15·8	1·7	19	5	2	0	0	0	0	1	0	1	0	4	2	2	4	0
PERTH, . . .	22·4	1·7	13	3	2	0	0	0	0	0	0	1	0	3	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 16, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·0	2·4	648	139	133	3	1	8	13	31	3	9	5	175	23	105	48	1
GLASGOW, .	23·4	2·2	305	75	57	0	0	6	6	10	3	4	1	100	12	54	19	1
EDINBURGH,	24·5	1·7	126	24	27	0	0	0	1	6	0	2	2	33	3	29	21	0
DUNDEE, . .	19·8	3·0	60	15	13	0	0	0	0	9	0	0	1	14	3	7	1	0
ABERDEEN, .	20·5	1·6	51	8	17	0	1	0	2	0	0	1	0	11	1	3	2	0
LEITH, . . .	20·5	4·4	28	7	0	3	0	0	1	1	0	1	0	3	3	5	2	0
PAISLEY, . .	24·8	4·5	33	6	8	0	0	2	2	1	0	1	0	5	0	3	1	0
GREENOCK, .	26·5	0·8	32	3	11	0	0	0	1	0	0	0	1	9	1	2	2	0
PERTH, . . .	22·3	6·9	13	1	0	0	0	0	0	4	0	0	0	0	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 22, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 22, 1894, was 21·7 per thousand of estimated population. This rate is 0·6 below that for the corresponding week of last year, and 0·8 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 15·0 per thousand; and the highest in Perth, viz., 25·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·9 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 136, being 10 below the number for last week.

The Mean Temperature was 40°·4, being 4°·4 below that for the week immediately preceding, and 1°·2 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 22, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Dec. 22, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	869	619	214	54·0	28·3	40·4	1·19
GLASGOW, . . .	11,861	686,820	57·906	9·82	402	308	103	52·4	33·2	42·0	1·55
EDINBURGH, . .	6,166	270,588	43·884	11·28	160	108	50	54·0	31·4	41·1	1·06
DUNDEE, . . .	4,162	158,719	38·135	12·11	83	58	18	48·0	28·3	37·6	0·69
ABERDEEN, . .	6,795	131,642	19·373	16·98	85	62	16	49·1	29·0	39·6	0·54
LEITH,	2,042	72,003	35·261	12·59	45	26	4	52·0	33·9	41·8	0·72
PAISLEY, . . .	3,538	70,363	19·888	16·76	41	24	8
GREENOCK, . .	1,440	62,400	43·333	11·36	35	18	7	51·0	32·0	40·8	2·99
PERTH,	2,122	30,232	14·247	19·81	18	15	8	51·0	29·8	39·7	0·82
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	820	629	222	54·0	29·1	41·6	0·63

Week ending Saturday, DECEMBER 22, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 22, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·7	3·9	619	132	125	4	54	9	10	17	6	11	6	136	22	115	43	1
GLASGOW, .	23·3	4·3	308	67	53	0	35	5	4	9	1	3	4	69	9	50	18	1
EDINBURGH,	20·8	2·9	108	17	29	4	1	3	2	0	3	2	0	21	4	31	21	0
DUNDEE, . .	19·0	3·6	58	12	14	0	2	1	1	1	1	5	2	14	1	10	1	0
ABERDEEN, .	24·5	6·7	62	21	9	0	13	0	1	3	0	0	0	22	1	6	0	0
LEITH, . . .	18·8	0·0	26	3	7	0	0	0	0	0	0	0	0	4	4	6	2	0
PAISLEY, . .	17·7	2·2	24	5	6	0	3	0	0	0	0	0	0	3	1	4	1	0
GREENOCK, .	15·0	4·2	18	3	6	0	0	0	0	4	1	0	0	2	1	3	0	0
PERTH, . . .	25·8	5·2	15	4	1	0	0	0	2	0	0	1	0	1	1	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 23, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	22·3	2·1	629	147	143	2	0	7	10	27	6	6	8	164	26	100	46	2	
GLASGOW, .	22·1	1·9	288	73	55	*1	0	5	3	12	2	2	1	86	10	45	22	2	
EDINBURGH,	20·4	1·4	105	22	29	0	0	0	3	3	1	0	1	32	5	23	19	0	
DUNDEE, . .	27·1	3·3	82	23	16	*1	0	0	0	5	2	2	1	22	4	13	2	0	
ABERDEEN, .	21·7	1·2	54	12	19	0	0	0	2	0	0	1	2	9	4	9	0	0	
LEITH, . . .	22·7	3·7	31	4	9	0	0	0	1	2	1	1	0	6	1	2	1	0	
PAISLEY, . .	23·3	0·8	31	10	8	0	0	0	0	1	0	0	1	7	0	3	2	0	
GREENOCK, .	19·1	0·8	23	2	4	0	0	0	1	0	0	0	2	1	2	3	0	0	
PERTH, . . .	25·7	10·3	15	1	4	0	0	2	0	4	0	0	0	1	0	2	0	0	

* Chickenpox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 52.

WEEK ENDING SATURDAY, DECEMBER 29, 1894.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 29, 1894, was 22·1 per thousand of estimated population. This rate is 0·3 above that for the corresponding week of last year, and 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·7 per thousand; and the highest in Aberdeen, viz., 26·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·9 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 131, being 5 below the number for last week.

The Mean Temperature was 41°·5, being 1°·1 above that for the week immediately preceding, but 2°·8 below that for the corresponding week of 1893.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 29, 1894, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1894.	Persons to an Acre. 1894.	Prox- imity in Yards.	Registered during the Week ending Dec. 29, 1894.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,482,767	38·891	11·99	857	629	365	51·9	30·2	41·5	0·35
GLASGOW, . . .	11,861	686,820	57·906	9·82	414	324	152	51·9	33·1	42·8	0·37
EDINBURGH, . .	6,166	270,588	43·884	11·28	132	90	69	49·0	31·2	40·8	0·33
DUNDEE, . . .	4,162	158,719	38·135	12·11	85	61	37	48·5	30·2	39·6	0·37
ABERDEEN, . .	6,795	131,642	19·373	16·98	97	68	62
LEITH,	2,042	72,003	35·261	12·59	36	19	12	51·2	32·9	42·0	0·21
PAISLEY, . . .	3,538	70,363	19·888	16·76	41	32	13	50·9	33·0	42·8	0·55
GREENOCK, . .	1,440	62,400	43·333	11·36	33	25	9
PERTH,	2,122	30,232	14·247	19·81	19	10	11	51·0	31·8	41·2	0·25
Corresponding Week of 1893. — Eight Towns.	40,340	1,465,536	36·330	12·40	957	615	395	51·2	32·0	44·3	0·79

Week ending Saturday, DECEMBER 29, 1894.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 29, 1894.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	22.1	3.0	629	155	117	1	41	8	4	18	2	12	7	131	23	107	52	3		
GLASGOW, .	24.5	4.0	324	86	47	0	24	7	3	14	2	3	4	66	12	56	23	3		
EDINBURGH,	17.2	1.7	90	22	21	1	4	1	0	1	0	2	1	20	6	20	19	0		
DUNDEE, . .	20.0	2.3	61	15	8	0	3	0	0	1	0	3	0	16	2	5	3	0		
ABERDEEN, .	26.9	4.3	68	16	14	0	9	0	0	0	0	2	1	13	2	10	0	0		
LEITH, . . .	13.7	0.0	19	5	8	0	0	0	0	0	0	0	0	5	0	1	3	0		
PAISLEY, . .	23.7	2.2	32	3	9	0	1	0	1	0	0	1	1	5	1	6	3	0		
GREENOCK, .	20.8	1.7	25	4	8	0	0	0	0	2	0	0	0	5	0	8	1	0		
PERTH, . . .	17.2	1.7	10	4	2	0	0	0	0	0	0	1	0	1	0	1	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 30, 1893.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21.8	2.3	615	147	126	2	1	11	8	29	4	9	12	143	21	112	27	2	
GLASGOW, .	20.3	1.8	265	65	43	0	1	8	3	8	2	1	7	70	10	53	11	2	
EDINBURGH,	19.6	1.2	101	17	25	*1	0	1	2	1	0	1	2	13	4	26	11	0	
DUNDEE, . .	25.5	4.6	77	26	13	0	0	0	1	10	1	2	0	24	3	16	2	0	
ABERDEEN, .	25.3	1.2	63	17	21	0	0	1	1	0	0	1	1	18	2	8	1	0	
LEITH, . . .	24.2	1.5	33	5	7	1	0	0	0	0	0	1	1	3	1	4	2	0	
PAISLEY, . .	21.1	3.8	28	6	8	0	0	0	1	2	1	1	1	9	0	3	0	0	
GREENOCK, .	22.4	0.8	27	8	2	0	0	0	0	1	0	0	0	4	1	2	0	0	
PERTH, . . .	36.0	17.2	21	3	7	0	0	1	0	7	0	2	0	2	0	0	0	0	

* Chickenpox.